

CLASSIC/ESSENTIAL REFERENCES IN REPRODUCTIVE ENDOCRINOLOGY & INFERTILITY

The references below can be found at the links listed or if you have trouble finding an article where a link is not listed (highlighted), please contact SREI Project Coordinator Cori Watts at [@asrm.org](mailto:cori@asrm.org) for assistance in obtaining the article.

I. ABNORMAL UTERINE BLEEDING

Nilson L, Rybo G. Treatment of Menorrhagia. Am J Obstet Gynecol 1971; 84:763-768. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/5563236?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Van Eijkeren, Christiaens GC, Geuze HJ, Haspels AA, Sixma JJ. Effects of mefenamic acid on menstrual hemostasis menorrhagia. Am J Obstet Gynecol 1992; 166:1419-28. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1595797?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bergquist A, Rybo G. Treatment of menorrhagia with intrauterine release of progesterone. Br J Obstet Gynecol 1983; 90:255-8. **Classic**

Vancaillie G. Electrocoagulation of the endometrium with the ball-end resectoscope. Obstet Gynecol 1989; 74:425-7. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/2761921?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Fernandez H, Capella S, Audibert F. Uterine thermal balloon therapy under local anesthesia for the treatment of menorrhagia, a pilot study. Human Reproduction 1997; 11:2511-14. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9436696?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lewis BV. Hysteroscopy for the investigation of abnormal uterine bleeding. Br J Obstet Gynaecol. 1990; 97:283-4. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

de Kroon CD, de Bock GH, Dieben SW, Jansen FW. Saline contrast hysterosonography in abnormal uterine bleeding: a systematic review and meta-analysis. Br J Obstet Gynecol 2003; 110:938-47. **Review**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Chuong CJ, Brenner PF. Management of abnormal uterine bleeding. Am J Obstet Gynecol 1996; 175:787-92. **Review**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Bayer SR, DeCherney AH. Clinical manifestations and treatment of dysfunctional uterine bleeding. JAMA 1993; 269:1823-8. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/8459515?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Tur-Kaspa I, Gal M, Hartman M, Hartman J, Hartman A. A prospective evaluation of uterine abnormalities by saline sonohysterography in 1,009 women with infertility and abnormal uterine bleeding. Fertil Steril 2006; 86:1731-5. **Important** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Richter HE, Learman LA, Lin F, Varner RE, Hendrix SL, Summitt RL, Washington AE. Medroxyprogesterone acetate treatment of abnormal uterine bleeding: factors predicting satisfaction. Am J Obstet Gynecol 2003; 189:37-42. **Important** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Boujida VH, Philipsen T, Pelle J, Joergensen JC. Five-year follow-up of endometrial ablation: endometrial coagulation versus endometrial resection. Obstet Gynecol 2002; 99:988-92. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Bain C, Parkin DE, Cooper KG. Is outpatient diagnostic hysteroscopy more useful than endometrial biopsy alone for the investigation of abnormal uterine bleeding in unselected premenopausal women? A randomised comparison. Br J Obstet Gynecol 2002; 109:805-11. **Important** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Mihm LM, Quick VA, Brumfield JA, Connors AF Jr, Finnerty JJ. The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding. Am J Obstet Gynecol 2002; 186:858-60. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

II. AMENORRHEA (PRIMARY AND SECONDARY)

a. Hypothalamic and Pituitary

Sheehan HL, Murdoch R. Postpartum necrosis of the anterior pituitary: pathological and clinical aspects. J Obstet Gynaecol Br Emp 1938; 45:456-88. **Classic**

Kleinberg DL, Noel CL, Frantz AG. Galactorrhea; a study of 235 cases including 48 with pituitary tumors. New Engl J Med 1977; 296:589-600. **Classic** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Warren MP, Brooks-Gunn J, Hamilton LH, Warren LF, Hamilton WG. Scoliosis and fractures in young ballet dancers. Relation to delayed menarche and secondary amenorrhea. *N Engl J Med* 1986; 314(21):1348-53. **Classic** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Reindollar RH, Novak M, Tho SP, McDonough PG. Adult-onset amenorrhea: a study of 262 patients. *Am J Obstet Gynecol* 1986; 155:531-43. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=HistorySearch&QueryKey=62>

Frisch RE. Body fat, menarche, and reproductive ability. *Seminars in Reprod Endocrinol* 1992; 6:49. **Classic**

Warren MP, Vande Wiele RL. Clinical and metabolic features of anorexia nervosa. *Am J Obstet Gynecol* 1973; 117:435-49. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Sclechta J, Dolan K, Sherman B, Chapler F, Luciano A. The natural history of untreated hyperprolactinemia: a prospective analysis. *J Clin Endocrinol Metab* 1989; 63:412-18. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=HistorySearch&QueryKey=68>

Daneshdoost L, Gennarelli TA, Bashey HM, et al. Recognition of gonadotroph adenomas in women. *New Engl J Med* 1991; 324:589-94. **Classic** <http://www.ncbi.nlm.nih.gov/sites/entrez>

Miller KK, Klibanski A. Clinical review 106: Amenorrheic bone loss. *J Clin Endocrinol Metab* 1999; 84(6):1775-83. **Review**
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=HistorySearch&QueryKey=71>

The Practice Committee of the American Society for Reproductive Medicine. Current evaluation of amenorrhea. *Fertil Steril* 2006; 86(Suppl 4):S148-55. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/17055812?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Laughlin GA, Dominguez CE, Yen SS. Nutritional and endocrine-metabolic aberrations in women with functional hypothalamic amenorrhea. *J Clin Endocrinol Metab* 1998; 83(1):25-32. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17055812?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Marcus MD, Loucks TL, Berga SL. Psychological correlates of functional hypothalamic amenorrhea. *Fertil Steril* 2001; 76(2):310-6. **Important**
<http://www.ncbi.nlm.nih.gov/pubmed/11476778?ordinalpos=3&itool=>

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Perkins RB, Hall JE, Martin KA. Aetiology, previous menstrual function and patterns of neuro-endocrine disturbance as prognostic indicators in hypothalamic amenorrhoea. *Hum Reprod* 2001; 16(10):2198-2205.

Important <http://www.ncbi.nlm.nih.gov/sites/entrez>

b. Ovarian

Stein IF, Leventhal ML. Amenorrhea associated with bilateral polycystic ovaries. *Am J Obstet Gynecol* 1935; 29:181-91. **Classic**

Turner HH. A syndrome of infantilism, congenital webbed neck, and cubitus valgus. *Endocrinology* 1938; 23:566. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4557013?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jones GS, De Moraes-Ruehsen M. A new syndrome of amenorrhea in association with hypergonadotropism and apparently normal ovarian follicular apparatus. *Am J Obstet Gynecol* 1969; 104:597-600. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Rebar RW, Connolly HV. Clinical features of young women with hypergonadotropic amenorrhea. *Fertil Steril* 1990; 53:804-10. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Timmreck LS, Reindollar RH. Contemporary issues in primary amenorrhea. *Obstet Gynecol Clin North Am* 2003; 30:287-302. **Review**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Goswami D, Conway GS. Premature ovarian failure. *Hum Reprod Update* 2005; 11:391-410. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15919682?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Manuel M, Katayama PK, Jones HW Jr. The age of occurrence of gonadal tumors in intersex patients with a Y chromosome. *Am J Obstet Gynecol* 1976; 124:293-300. **Important**

Practice Committee of the American Society for Reproductive Medicine. Current evaluation of amenorrhea. *Fertil Steril* 2004; 82:266-72. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15363691?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stringer NH, Grant T, Park J, Oldham L. Ovarian failure after uterine artery embolization for treatment of myomas. *J Am Assoc Gynecol*

Laparosc 2000; 7:395-400. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10924636?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lo Presti A, Ruvolo G, Gancitano RA, Cittadini E. Ovarian function following radiation and chemotherapy for cancer. Eur J Obstet Gynecol Reprod Biol 2004; 113:S33-40. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15041128?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Taylor AE, Adams JM, Molder C, Martin KA, Sluss PM, Crowley WF. A randomized controlled trial of estradiol replacement therapy in women with hypergonadotropic amenorrhea. J Clin Endocrinol Metab 1996; 81:3615-21. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=HistorySearch&QueryKey=105>

c. Anatomic

Frank RT. Formation of artificial vagina without operation. Am J Obstet Gynecol 1938; 35:1053-5. **Classic**

Hickey M, Balen A. Menstrual disorders in adolescence: investigation and management. Hum Reprod Update 2003; 9:493-504. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/14640381?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Practice Committee of the American Society for Reproductive Medicine. Current evaluation of amenorrhea. Fertil Steril 2004; 82:266-72. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15237040?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Folch M, Pigem I, Konje JC. Mullerian agenesis: etiology, diagnosis, and management. Obstet Gynecol Surv 2000; 55:644-9. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=HistorySearch&QueryKey=115>

Davies C, Gibson M, Holt EM, Torrie EP. Amenorrhoea secondary to endometrial ablation and Asherman's syndrome following uterine artery embolization. Clin Radiol 2002; 57:317-8. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

III. ANDROGEN DISORDERS

a. Ovary

Stein IF, Leventhal ML. Amenorrhea associated with bilateral polycystic ovaries. *Am J Obstet Gynecol* 1935; 29:181-191. **Classic**

Goldzieher JW, Axelrod LR. Clinical and biochemical features of polycystic ovarian disease. *Fertil Steril* 1963; 14:631-53. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Cooper HE, Spellacy WN, Prem KA, Cohen WD. Hereditary factors in the Stein-Leventhal syndrome. *Am J Obstet Gynecol* 1968; 100(3):371-87. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Yen SSC, Bela P, Rankin J. Inappropriate secretion of follicle-stimulating hormone and luteinizing hormone in polycystic ovarian syndrome. *J Clin Endocrinol Metab* 1975; 30:435. **Classic**

Burghen GA, Givens JR, Kitabchi AE. Correlation of hyperandrogenism with hyperinsulinism in polycystic ovarian disease. *J Clin Endocrinol Metab* 1980; 50(1):113-6. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Wilson EA, Erickson GF, Zarutski P, Finn AE, Tulchinsky D, Ryan KJ. Endocrine studies of normal and polycystic ovarian tissues in vitro. *Am J Obstet Gynecol* 1979; 134(1):56-63. **Classic**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Chrousos GP, Loriaux DL, Mann DL, Cutler GB Jr. Late-onset 21-hydroxylase deficiency mimicking idiopathic hirsutism or polycystic ovarian disease. *Ann Intern Med* 1982; 96(2):143-8. **Classic**

Zawadzki JK, Dunaif A. Diagnostic criteria for polycystic ovary syndrome: Towards a rational approach. In Dunaif A, Givens JR, Haseltine F, Merriam GR (eds) *Polycystic Ovary Syndrome*. Blackwell Scientific Publications, Boston, MA, 1990: 377-384. **Review**

Dunaif A. Insulin Resistance and the Polycystic Ovary Syndrome: mechanisms and implication for pathogenesis. *Endocrine Review* 1997; 18:777-800. **Review**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Carmina E, Koyama T, Chang L, Stanczyk FZ, Lobo RA. Does ethnicity influence the prevalence of adrenal androgenism in PCOS? *Am J Obstet Gynecol* 1992; 167:1807-12. **Important**

Knochenhauer ES, Key TJ, Kahsar-Miller M, Waggoner W, Boots LR, Azziz R. Prevalence of the Polycystic Ovarian Syndrome in Unselected Black and White Women of the Southeastern United States. *J Clin Endocrinol* 1998; 83:3078-3082. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/9745406?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Legro RS, Barnhart HX, Schlaff WD, Carr BR, Diamond MP, Carson SA, Steinkampf MP, Coutifaris C, McGovern PG, Cataldo NA, Gosman GG, Nestler JE, Giudice LC, Leppert PC, Myers ER; Cooperative Multicenter Reproductive Network. Clomiphene, metformin, or both for infertility in the polycystic ovary syndrome. *N Engl J Medicine* 2007; 356(6):551-66. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/18082737?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Azziz R, Marin C, Hoq L, Badamgaray E, Song P. Health care-related economic burden of the polycystic ovary syndrome during the reproductive life span. *J Clin Endocrinol Metab* 2005; 90:4650-8. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

b. Adrenal

New MI. Extensive clinical experience: nonclassical 21-hydroxylase deficiency. *J Clin Endocrinol Metab* 2006; 91:4205-14. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16912124?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bachmann G, Oza D. Female androgen insufficiency. *Obstet Gynecol Clin North Am* 2006; 33:589-98. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/17116503?ordinalpos=15&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Claahsen-vander Grinten HL, Stikkelbroeck NM, Sweep CG, Hermus AR, Otten BJ. Fertility in patients with congenital adrenal hyperplasia. *J Pediatr Endocrinol Metab* 2006; 19:677-85. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16789634?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

New MI. An update of congenital adrenal hyperplasia. *Ann N Y Acad Sci* 2004; 1038:14-34. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15838095?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

New MI. Inborn errors of adrenal steroidogenesis. Mol Cell Endocrinol 2003; 211:75-83. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/14656479?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Azziz R, Rittmaster RS, Fox LM, Bradley EL Jr, Potter HD, Boots LR. Role of the ovary in the adrenal androgen excess of hyperandrogenic women. Fertil Steril 1998; 69:851-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9591492?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Hirsutism

Ferriman D, Gallwey JD. Clinical assessment of body hair growth in women. J Clin Endocrinol Metab 1961; 21:1440-47. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/13892577?ordinalpos=25&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rosenfield RL. Clinical practice. Hirsutism. N Engl J Med 2005; 353:2578-88. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16354894?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Azziz R. The evaluation and management of hirsutism. Obstet Gynecol 2003; 101:995-1007. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/12738163?ordinalpos=20&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Moggetti P, Toscano V. Treatment of hirsutism and acne in hyperandrogenism. Best Pract Res Clin Endocrinol Metab 2006; 20:221-34. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16772153?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Batukan C, Muderris II. Efficacy of a new oral contraceptive containing drospirenone and ethinyl estradiol in the long-term treatment of hirsutism. Fertil Steril 2006; 85:436-40. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16595223?ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Frajndlich R, Spritzer PM. Association between ovarian volume and serum insulin levels in ovulatory patients with idiopathic hirsutism. *Fertil Steril* 2005; 83:1561-4. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15866607?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Muderris II, Bayram F, Guven M. A prospective, randomized trial comparing flutamide (250 mg/d) and finasteride (5mg/d) in the treatment of hirsutism. *Fertil Steril* 2000; 73:984-7. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10785225?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Falsetti L, Gambera A. Comparison of finasteride and flutamide in the treatment of idiopathic hirsutism. *Fertil Steril* 1999; 72:41-6. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10428146?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Carmina E, Lobo RA. The addition of dexamethasone to antiandrogen therapy for hirsutism prolongs the duration of remission. *Fertil Steril* 1998; 69:1075-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9627295?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

IV. CLINICAL DIAGNOSTIC TECHNIQUES

a. Operative

Papaioanou S, Bourdrez P, Varma R, Afnan M, Mol BW, Coomaraswamy A. Tubal evaluation in the investigation of subfertility: a structured comparison of tests. *BJOG* 2004; 111(12):1313-21. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15663113?ordinalpos=30&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Loffer FD. Complications of hysteroscopy—their cause, prevention, and correction. *J Am Assoc Gynecol Laparosc* 1995; 3:11–26. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9050612?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Loffer FD, Bradley LD, Brill AI, Brooks PG, Cooper JM. Hysteroscopic fluid monitoring guidelines. The ad hoc committee on hysteroscopic training guidelines of the American Association of Gynecologic Laparoscopists. *J Am Assoc Gyn Laparosc* 2000; 7:167–8. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/10648762?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Obermair A, Geramou M, Gucer F, Denison U, Graf AH, Kapshammer E, et al. Does hysteroscopy facilitate tumor cell dissemination? Incidence of peritoneal cytology from patients with early stage endometrial carcinoma following dilatation and curettage (D&C) versus hysteroscopy and D&C. *Cancer* 2000; 88:139–43. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10618616?ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Arikan G, Reich O, Weiss U, Hahn T, Reinisch S, Tamussino K, et al. Are endometrial carcinoma cells disseminated at hysteroscopy functionally viable? *Gynecol Oncol* 2001; 83:221–6. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11606075?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stoloff DR, Isenberg RA, Brill AI. Venous air and gas emboli in operative hysteroscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:181–92. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11342722?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vulgaropoulos SP, Haley LC, Hulka JF. Intrauterine pressure and fluid absorption during continuous flow hysteroscopy. *Am J Obstet Gynecol* 1992;167:386–390.**Important**

http://www.ncbi.nlm.nih.gov/pubmed/1497040?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Witz CA, Silverberg CM, Burns WN, Schenken RS, Olive DL. Complications associated with the absorption of hysteroscopic fluid media. *Fertil Steril* 1993; 60:745–56. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/7693515?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Serden SP: Diagnostic hysteroscopy to evaluate the cause of abnormal uterine bleeding. *Obstet Gynecol Clin North Am* 2000; 27(2): 277-86.

Review

http://www.ncbi.nlm.nih.gov/pubmed/10857119?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Goldrath MH. Uterine tamponade for the control of acute uterine bleeding. *Am J Obstet Gynecol* 1983; 147:869–72. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/6650623?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

b. Imaging (Ultrasonography/HSG)

Troiano RN, McCarthy SM. Mullerian duct anomalies: imaging and clinical issues. *Radiology* 2004; 233(1):19-34 **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15317956?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Alborzi S, Parsanezhad ME, Mahmoodian N, Alborzi S, Alborzi M. Sonohysterography versus transvaginal sonography for screening of patients with abnormal uterine bleeding. *Int J Gynaecol Obstet* 2007; 96:20-3. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17187802?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

De Croon CD, Jansen FW. Saline infusion sonography in women with abnormal uterine bleeding: an update of recent findings. *Curr Opin Obstet Gynecol* 2006; 18:653-7. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/17099338?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Dubinsky TJ, Stroehlein K, Abu-Ghazze Y, Parvey HR, Makland N. Prediction of benign and malignant endometrial disease: hysterosonographic-pathologic correlation. *Radiology* 1999; 210:393-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10207420?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Epstein E, Valentin L. Gray-scale ultrasound morphology in the presence or absence of intrauterine fluid and vascularity as assessed by color Doppler for discrimination between benign and malignant endometrium in women with postmenopausal bleeding. *Ultrasound Obstet Gynecol* 2006; 8:89-95. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16741893?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Goldstein RB, Bree RL, Benson CB, Benacerraf BR, Bloss JD, Carlos R, et al. Evaluation of the woman with postmenopausal bleeding: Society of Radiologists in Ultrasound-Sponsored Consensus Conference statement. *J Ultrasound Med* 2001; 20:1025-36. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11587008?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Goldstein SR. Abnormal uterine bleeding: the role of ultrasound. Radiol Clin North Am 2006; 44:901-10. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/17147992?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kelekci S., Kaya E., Alan M., Alan Y., Bilge Y. and Mullamahmutoglu L. Comparison of transvaginal sonography, saline infusion sonography, and office hysteroscopy in reproductive aged women with or without abnormal uterine bleeding, Fertil Steril 2005; 84:682-686. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16169403?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Tur-Kaspa I, Gal M, Hartman M, Hartman J, Hartman A. A prospective evaluation of uterine abnormalities by saline infusion sonohysterography in 1,009 women with infertility or abnormal uterine bleeding. Fertil Steril 2006; 86:1731-5. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17007850?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Wittmer MH, Brown DL, Hartman RP, Famuyide AO, Kawashima A and King BF. Sonography, CT, and MRI Appearance of the Essure Microinsert Permanent Birth Control Device. AJR Am J Rontgenol 2006; 187:959-64. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16985143?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Unterweger M, De Geyter C, Frohlich JM, Bongartz G, Wiesner W. Three-dimensional dynamic MR-hysterosalpingography: a new, low invasive, radiation-free and less painful radiological approach to female infertility. Hum Reprod 2002; 17(12):3138-41. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12456613?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Togashi K, Nakai A, Sugimura K. Anatomy and physiology of the female pelvis: MR imaging revisited. J Magn Reson Imaging 2001; 13:842-9. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11382942?ordinalpos=18&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Minto CL, Hollings N, Hall-Craggs M, Creighton S. Magnetic resonance imaging in the assessment of complex Mullerian anomalies. BJOG 2001; 108:791-7. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11510701?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kinkel K, Frei KA, Balleyguier C, Chapron C. Diagnosis of endometriosis with imaging: a review. *Eur Radiol* 2006; 16:285-98. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16155722?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kimura I, Togashi K, Kawakami S, Takakura K, Mori T, Konishi J. Ovarian torsion: CT and MR imaging appearances. *Radiology* 1994; 190:337-41. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8284378?ordinalpos=27&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

V. CLINICAL PHARMACOLOGY OF HORMONES

a. Pituitary

Knobil E. Discovery of the hypothalamic gonadotropin-releasing hormone pulse generator and of its physiologic significance. *Am J Obstet Gynecol* 2005; 193(5):1765-6. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16260229?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vance ML, Mauras N. Growth Hormone Therapy in Adults and Children. *N Engl J Med* 1999; 341:1206-1216. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/10519899?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Schlechte JA. Prolactinoma. *N Engl J Med* 2003; 349:2035-2041. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14627789?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Welt CK, Chan JL, Bullen J, Murphy R, Smith P, DePaoli AM, Karalis A, Mantzoros CS. Recombinant Human Leptin in Women with Hypothalamic Amenorrhea. *N Engl J Med* 2004; 351:987-997. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15342807?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Layman LC, Lee E-J, Peak DB, Namnoum AB, Vu KV, van Lingen BL, Gray R, McDonough PG, Reindollar RH, Jameson JL. Delayed Puberty and Hypogonadism Caused by Mutations in the Follicle-Stimulating Hormone β -Subunit Gene. *N Engl J Med* 1997; 337:607-611. **Classic**

<http://www.ncbi.nlm.nih.gov/pubmed/9271483?ordinalpos=3&itool=E>

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Adrenal/Pancreas

Utiger RD. Treatment and Retreatment of Cushing's Disease. N Engl J Med 1997; 336:215-217. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/8988904?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Saltiel AR, Kahn CR. Insulin signaling and the regulation of glucose and lipid metabolism. Nature 2001; 414:799-806. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11742412?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chang L, Chiang SH, Saltiel AR. Insulin signaling and the regulation of glucose transport. Mol Med 2004; 10:65-71. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16307172?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Coleman DL, Eicher EM. Fat (fat) and tubby (tub): two autosomal recessive mutations causing obesity syndromes in the mouse. J Hered. 1990. 81:424-427. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/2250094?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hirsch IB. Insulin analogues. N Engl J Med 2005; 352: 174-83. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15647580?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Ovary

McGee EA, Hsueh AJ. Initial Recruitment of Ovarian Follicles. Endocrine Reviews 2000; 20:200-14. **Reviews**
http://www.ncbi.nlm.nih.gov/pubmed/10782364?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gougeon A. Dynamics of Follicular Growth in the Human: a Model from Preliminary Results. Hum Reprod 1986; 1:81-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/3558758?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

deKrester DM, Hedger MP, Loveland KL, Phillips DJ. Inhibins, Activins and Follistatin in Reproduction. Hum Reprod Update 2002; 8:529-41. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/12498423?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Paszkowski T, Clarke RN, Hornstein MD. Smoking Induces Oxidative Stress Inside the Graafian Follicle. *Hum Reprod* 2002; 17:921-5.

Important

http://www.ncbi.nlm.nih.gov/pubmed/11925382?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cowan BD, Whitworth NS, Sopolak VM, Isaacs JD, Long CA. Regulation of Early Gestational Corpus Luteum Function in Spontaneous and Follicular Stimulated Conceptions. *Fertil Steril* 1994; 62:263-8. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8034070?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Harden CL, Leppik I. Optimizing therapy of seizures in women who use oral contraceptives. *Neurology* 2006; 67(12 Suppl 4):S56-8. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/17190925?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Grow DR. Metabolism of endogenous and exogenous reproductive hormones. *Obstet Gynecol Clin North Am* 2002; 29(3):425-36. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12353666?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vermeulen A. The hormonal activity of the postmenopausal ovary. *J Clin Endocrinol Metab* 1976; 42(2):247-53. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/12353666?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mashchak CA, Lobo RA, Dozono-Takano R, Eggena P, Nakamura RM, Brenner PF, Mishell DR Jr. Comparison of pharmacodynamic properties of various estrogen formulations. *Am J Obstet Gynecol* 1982; 144(5):511-8.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/6291391?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Falck B. Site of production of oestrogen in rat ovary as studied in micro-transplants. *Acta Physiol Scand* 1959; 47S:1-101. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/13821382?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hsueh AJ, Adashi EY, Jones PB, Welsh TH Jr. Hormonal regulation of the differentiation of cultured ovarian granulosa cells. *Endocr Rev* 1984; 5:76-127. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/6142819?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Knobil E. The neuroendocrine control of the menstrual cycle. *Recent Progr Horm Res* 1980; 36:53-88. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/6774388?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Messinis IE. Ovarian feedback, mechanism of action and possible clinical implications. *Hum Reprod Update* 2006; 12:557-71. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16672246?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Payne AH, Hales DB. Overview of steroidogenic enzymes in the pathway from cholesterol to active steroid hormones. *Endocr Rev* 2004; 25: 947-70.

Review

http://www.ncbi.nlm.nih.gov/pubmed/15583024?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

d. Thyroid

Gerhard I, Becker T, Eggert-Kruse W, Klinga K, Runnebaum B. Thyroid and Ovarian Function in Infertile Women. *Hum Reprod* 1991; 6:338-345. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/1955537?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gerasimos E, Krassas MD. Thyroid Disease and Female Reproduction. *Fertil Steril* 2000; 74:1063-70. **Review**

Jansson R, Bernander S, Karlsson A, Levin K, Nilsson G. Autoimmune Thyroid Dysfunction in the Postpartum Period. *J Clin Endocrinol Metab* 1984; 58:681-7. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/6699131?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Alexander EK, Marqusee E, Lawrence J, Jarolim P, Fischer GA, Larsen PR. Timing and Magnitude of Increases in Levothyroxine Requirements During Pregnancy in Women with Hypothyroidism. *N Engl J Med* 2004; 351:241-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15254282?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Abalovich M, Gutierrez S, Alcaraz G, Maccallini G, Garcia A, Levalle O. Overt and Subclinical Hypothyroidism Complicating Pregnancy. *Thyroid* 2002; 12:63-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11838732?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Yen PM. Physiological and molecular basis of thyroid hormone action. *Physiol Rev* 2001; 81:1097-142. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11427693?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Arafah BM. Increased need for thyroxine in women with hypothyroidism during estrogen therapy. *N Engl J Med* 2001; 344:1743-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11396440?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cooper DS. Antithyroid drugs. *N Engl J Med* 2005; 352:905-17. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15745981?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Toft AD. Thyroid Hormone Replacement – One hormone or two? *N Engl J Med* 1999; 340:468-70. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9971874?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Yen, PM, Ando, S, Feng, X, et al. Thyroid hormone action at the cellular, genomic and target gene levels. *Mol Cell Endocrinol* 2006; 246:121. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16442701?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Adashi E. Y., Hennebold J. D. Mechanisms of Disease: Single-Gene Mutations Resulting in Reproductive Dysfunction in Women. *N Engl J Med* 1999; 340:709-718. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/10053181?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

VI. CONTRACEPTION

Trussell J, Strickler J, Vaughan B. Contraceptive efficacy of the diaphragm, the sponge and the cervical cap. *Fam Plan Perspect* 1993;

25:200-205,135. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8354373?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ferreira AE, Araujo MJ, Regina CH, et al. Effectiveness of the diaphragm, used continuously, without spermicide. *Contraception* 1993; 48:29-35. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8403903?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Dorflinger L. Relative potency of progestins used in oral contraceptives. *Contraception* 1985; 557:31. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3899503?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mishell DR Jr, Keltzky OA, Brenner PF, et al. The effect of contraceptive steroids on hypothalamic-pituitary function. *Am J Obstet Gynecol* 1978; 130:817. **Classic**

Vessey MP, Wright NH, McPherson K, et al. Fertility after stopping different methods of contraception. *Br Med J* 1978; 1:265. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/620301?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vessey MP, Villard-Mackintosh I, McPherson K, Yeates D. Mortality among oral contraceptive users: 20 year follow-up of women in a cohort study. *Br Med J* 1989; 299:1487-91. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2514858?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lonnerdel IB, Forsum E, Hambraeus L. Effect of oral contraceptives on composition and volume of breast milk. *Am J Clin Nutr* 1980; 33:816. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/7361700?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kirton KT, Cornette JC. Return of ovulatory cyclicity following an intramuscular injection of medroxyprogesterone acetate. *Contraception* 1974; 10:39-45. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/4442263?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Tredway DR, Umezaki CU, Mishell DR Jr. Effect of intrauterine devices on sperm transport in the human being: preliminary report. *Am J*

Obstet Gynecol 1975; 123:734. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1200066?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Craig S, Hepburn S. The effectiveness of barrier methods of contraception with and without spermicide. Contraception 1982; 26:347. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6759027?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vessey, Lawlss M, Yeates D. Efficacy of different contraceptive methods. Lancet 1982; 1:841-2. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/6122067?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Farr G, Gabelnick H, Sturgen K, Dorflinger L. Contraceptive efficacy and acceptability of the female condom. Am J Public Health 1994; 84:1960-64. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7998637?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Wilcox AJ, Weinberg CR, Baird DD. Timing of sexual intercourse in relation to ovulation. Effects on the probability of conception, survival of the pregnancy and sex of the baby. New Engl J Med 1995; 333:1517-21. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7477165?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jick H, Jick SS, Gurewich V, Maayers MW, Vasilaakis C. Risk of idiopathic cardiovascular death and nonfatal venous thromboembolism in women using oral contraceptives with differing progestagen components. Lancet 1994; 346:1589. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

Cundy T, Evans M, Roberts H, et al. Bone density in women receiving depot medroxyprogesterone acetate for contraception. Br Med J 1991; 303:13-16. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/1830502?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Peterson HB, Xia Z, Hughes JM, et al. The risk of pregnancy after tubal sterilization from the U.S. Collaborative Review of Sterilization. Am J Obstet Gynecol 1996; 174:1161-1170. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8623843?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Trussell J, Ellertson C, Rodriguez G. The Yuzpe regimen of emergency contraception: how long after the morning after? *Obstet Gynecol* 1996; 88:150-154. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8684749?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Schlesselman JJ. Net effect of oral contraceptive use on the risk of cancer in women in the US. *Obstet and Gynecol* 1995; 85:793-801. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7724116?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Audet MC, Moreau M, Koltun WE, et al. Evaluation of contraceptive efficacy and cycle control of a transdermal contraceptive patch versus an oral contraceptive: a randomized controlled trial. *JAMA* 2001; 285:2347-2354. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/11343482?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Collaborative Group on Hormonal Factors in Breast Cancer. Breast Cancer and hormonal contraceptives: collaborative analysis of individual data of 53,297 women with and 100,239 without breast cancer. *Lancet* 1996; 347:1713-27. **Important**
<http://www.ncbi.nlm.nih.gov/sites/entrez>

VII. ECTOPIC PREGNANCY

a. Surgical Management

Brumsted J, Kessler C, Gibson C, Nakajima S, Riddick DH, Gibson M. A comparison of laparoscopy and laparotomy for the treatment of ectopic pregnancy. *Obstet Gynecol* 1988; 71(6 Pt 1):889-92. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/2966908?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Murphy AA, Nager CW, Wujek JJ, Kettel LM, Torp VA, Chin HG. Operative laparoscopy versus laparotomy for the management of ectopic pregnancy: a prospective trial. *Fertil Steril* 1992; 57(6):1180-5. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/1534771?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Barnhart KT, Katz I, Hummel A, Gracia C. Presumed Diagnosis of Ectopic Pregnancy. *Obstet Gynecol* 2002; 100(3):505-510. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12220770?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Barnhart KT, Sammel MD, Rinaudo PF, Zhou L, Hummel AC, Guo W. Symptomatic Patients with an Early Viable Intrauterine Pregnancy: hCG Curves Redefined. *Obstet Gynecol* 2004; 104:50-5. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/15229000?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Seeber BE, Barnhart KT. Suspected ectopic pregnancy. *Obstet Gynecol* 2006; 107(2 Pt 1):399-413. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16449130?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Yao M, Tulandi T. Current status of surgical and nonsurgical management of ectopic pregnancy. *Fertil Steril* 1997; 67(3):421-433.

Review

http://www.ncbi.nlm.nih.gov/pubmed/9091325?ordinalpos=20&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vermesh M, Silva PD, Rosen CF, Stein AL, Fossum GT. Management of unruptured ectopic gestation by linear salpingostomy: a prospective randomized clinical trial of laparoscopy vs laparotomy. *Obstet Gynecol* 1989; 74(2):282-3. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/2464777?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Seifer DB, Gutmann JN, Grant WD, Kamp CA, DeCherney AH, Comparison of persistent ectopic pregnancy after laparoscopic salpingostomy vs. salpingostomy at laparotomy for ectopic pregnancy. *Obstet Gynecol* 1993; 378-382. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8437790?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Medical Management

Ankum WM, Mol BW, Van der Veen F, Bossuyt PM. Risk factors for ectopic pregnancy: a meta-analysis. *Fertil Steril* 1996; 65:1093-9.

Important

http://www.ncbi.nlm.nih.gov/pubmed/8641479?ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Barnhart KT, Gosman G, Ashby R, Sammel M. The medical management of ectopic pregnancy: a meta-analysis comparing "single

dose" and "multidose" regimens. *Obstet Gynecol* 2003; 101(4):778-84.

Important

http://www.ncbi.nlm.nih.gov/pubmed/12681886?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lipscomb GH, Bran D, McCord ML, Portera JC, Ling FW. Analysis of three hundred fifteen ectopic pregnancies treated with single-dose methotrexate. *Am J Obstet Gynecol* 1998; 178:1354-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9662322?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lipscomb GH, McCord ML, Stovall TG, Huff G, Portera SG, Ling FW. Predictors of success of methotrexate treatment in women with tubal ectopic pregnancies. *N Engl J Med* 1999; 341(26):1974-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10607814?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stovall TG, Ling FW, Gray LA, Carson SA, Buster JE. Methotrexate treatment of unruptured ectopic pregnancy: a report of 100 cases. *Obstet Gynecol* 1991; 77(5):749-53. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2014090?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Barnhart KT, Sammel MD, Hummel AC, Menon S, Jain JK, Chakhtoura N. A 'two dose' regimen for methotrexate in ectopic pregnancy. *Fertil Steril* 2007; 87 (2): 250-256. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17097649?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stovall TG, Ling FW. Single-dose methotrexate: an expanded clinical trial. *Am J Obstet Gynecol* 1993; 168:1759. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8317518?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

VIII. EMBRYOLOGY AND DEVELOPMENT

a. Ambiguous Genitalia/Intersex Disorders

Morris JM, Mahesh BV. The syndrome of testicular feminization in male pseudohermaphrodites. *Am J Obstet Gynecol* 1953; 65: 1192-11. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/13057950?ordinalpos=169&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Frimberger D, Gearhart JP. Ambiguous Genitalia and Intersex. Urol Int 2005; 75:291-97. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16327292?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Houk CP, Hughes IA, Ahmed SF, Lee PA; Writing Committee for the International Intersex Consensus Conference Participants. Summary of consensus statement on intersex disorders and their management. Pediatrics 2006; 118(2):753-7. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16882833?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lee PA, Houk CP, Ahmed SF, Hughes IA; International Consensus Conference on Intersex organized by the Lawson Wilkins Pediatric Endocrine Society and the European Society for Paediatric Endocrinology. Consensus statement on management of intersex disorders. Pediatrics 2006; 118(2):488-500. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16882788?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Mullerian Anomalies

Frank RT. Formation of artificial vagina without operation. Am J Obstet Gynecol 1938; 35: 1053. **Classic**

The American Fertility Society classifications of adnexal adhesions, distal tubal occlusion, tubal occlusion secondary to tubal ligation, tubal pregnancies, mullerian anomalies and intrauterine adhesions. Fertil Steril 1988; 49:944-55.
Classichttp://www.ncbi.nlm.nih.gov/pubmed/3371491?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Daya S. Classification of mullerian anomalies. Fertil Steril 1989; 51:551-2. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2920859?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Du H, Taylor HS. Molecular regulation of mullerian development by Hox genes. Ann N Y Acad Sci 2004; 1034:152-65. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15731308?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Golan A, Langer R, Bukovsky I, Caspi E. Congenital anomalies of the mullerian system. Fertil Steril 1989; 51:747-55. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2651163?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Griffin JE, Edwards C, Madden JD, Harrod MJ, Wilson JD. Congenital absence of the vagina. The Mayer-Rokitansky-Kuster-Hauser syndrome. *Ann Intern Med* 1976; 85:224-36. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/782313?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jacobsen LJ, DeCherney A. Results of conventional and hysteroscopic surgery. *Hum Reprod* 1997; 12:1376-81. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9262260?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jones HW, Jr. Mullerian anomalies. *Hum Reprod* 1998; 13:789-91.

Review

http://www.ncbi.nlm.nih.gov/pubmed/9619525?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Propst AM, Hill JA, 3rd. Anatomic factors associated with recurrent pregnancy loss. *Semin Reprod Med* 2000; 18:341-50. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11355792?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Morris JM, Mahesh BV. The syndrome of testicular feminization in male pseudohermaphrodites. *Am J Obstet Gynecol* 1953; 65: 1192-11. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/13057950?ordinalpos=169&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Frimberger D, Gearhart JP. Ambiguous Genitalia and Intersex. *Urol Int* 2005; 75:291-97 **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16327292?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Houk CP, Hughes IA, Ahmed SF, Lee PA; Writing Committee for the International Intersex Consensus Conference Participants. Summary of consensus statement on intersex disorders and their management. *Pediatrics* 2006; 118(2):753-7 **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16882833?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lee PA, Houk CP, Ahmed SF, Hughes IA; International Consensus Conference on Intersex organized by the Lawson Wilkins Pediatric Endocrine Society and the European Society for Paediatric Endocrinology.

Consensus statement on management of intersex disorders. *Pediatrics* 2006; 118(2):488-500. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16882788?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

IX. ENDOCRINOLOGY OF PREGNANCY

a. Implantation

Caspo AI. Effects of Luteectomy and progesterone replacement in early pregnant patients. *American Journal of Obstet & Gynecol* 1973; 115:759. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4688578?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Noyes RW, Hertig AT, Rock J. Dating the endometrial biopsy. *Am J Obstet Gynecol* 1975; 122(2): 262-263. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1155504?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hertig AJ, Rock JA, Adams EC. A description of 34 human ova within the first 17 days of development. *Am J Anat* 1956; 98(3): 435-93. **Classic**

Csapo AL, Pulkkinen MO, Weist WG. Effects of luteectomy and progesterone replacement in early pregnant patients. *Am J Obstet Gynecol* 1973; 115(6): 759-65. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4688578?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Finn CA, Martin L. The control of implantation. *J Reprod Fertil* 1974; 39: 195-206. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4605229?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Paria BC, Reese J, Das SK, Dey SK. Deciphering the cross-talk of implantation: advances and challenges. *Science* 2002; 296(5576): 2185-8. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12077405?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Carson DD, Baqchi I, Dey SK, Enders AC, Fazleabas AT, Lessey BA, Yoshinaga K. Embryo implantation. *Dev Biol* 2000; 223(2): 217-37. **Review**
<http://www.ncbi.nlm.nih.gov/pubmed/10882512?ordinalpos=3&itool=>

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Wilcox AJ, Baird DD, Weinberg CR. Time of implantation of the conceptus and loss of pregnancy. *N Engl J Med* 1999; 340: 1796-9.

Review

http://www.ncbi.nlm.nih.gov/pubmed/10362823?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Achache H, Revel A. Endometrial receptivity markers, the journey to successful embryo implantation. *Hum Reprod Update* 2006; 12(6):731-46.

Review

http://www.ncbi.nlm.nih.gov/pubmed/16982667?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Norwitz ER, Schust DJ, Fisher SJ. Implantation and the survival of early pregnancy. *N Engl J Med* 2001; 345(19): 1400-8. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11794174?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Placenta

Albrecht ED, Pepe GJ, Placental hormone biosynthesis in primate pregnancy, *Endocr Rev* 1990; 11:124-50. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2180685?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Siiteri PK, MacDonald PC, Placental estrogen biosynthesis during human pregnancy, *J Clin Endocrinol Metab* 1996; 26(7):751-61. **Important**

Bradshaw KD, Carr BR, Placental sulfatase deficiency: maternal and fetal expression of steroid sulfatase deficiency and X-linked ichthyosis, *Obstet Gynecol Survey* 1986; 41(7):401-13. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3531932?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Nakajima ST, McAuliffe T, Gibson M. The 24-hour pattern of the levels of serum progesterone and immunoreactive human chorionic gonadotropin in normal early pregnancy. *J Clin Endocrinol Metab*. 1990; 71(2):345-53. **Classic**

<http://www.ncbi.nlm.nih.gov/pubmed/2199478?dopt=AbstractPlus>

Pekonen F, Alfthan H, Stenman UH, Ylikorkala O. Human chorionic gonadotropin (hCG) and thyroid function in early human pregnancy: circadian variation and evidence for intrinsic thyrotropic activity of hCG. *J Clin Endocrinol Metab* 1988; 66(4):853-6. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3346361?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Petraglia F, Florio P, Nappi C, Genazzani AR. Peptide signaling in human placenta and membranes: autocrine, paracrine, and endocrine mechanisms. *Endocr Rev* 1996; 17(2): 156-86. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/8706630?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cross JC, Anson-Cartwright L, Scott IC. Transcription factors underlying the development and endocrine functions of the placenta. *Recent Prog Horm Res* 2002; 57:221-34. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/12017545?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Godfrey KM. The role of the placenta in fetal programming – a review. *Placenta* 2002; 23(suppl 1): S20-S27. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11978056?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Fetus

Kaplan SL, Grumbach MM, Aubert ML. The ontogenesis of pituitary hormones and hypothalamic factors in the human fetus: maturation of central nervous system regulation of anterior pituitary function. *Recent Prog Horm Res* 1976; 32: 161-243. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/785555?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Benirschke K, Bloch E, Hertig A. Concerning the function of the fetal zone of the human adrenal gland. *Endocrinology* 1956; 58: 598 **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/13317835?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mesiano S, Jaffe RB. Developmental and functional biology of the primate fetal adrenal cortex. *Endocr Rev* 1997; 18(3): 378-403. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9183569?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Reyes FI, Boroditsky RS, Winter JS, Faiman C. Studies on human sexual development. II. Fetal and maternal serum gonadotropin and sex steroid concentrations. *J Clin Endocrinol Metab* 1974; 38(4): 612 –7. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/4856555?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rabinovici J, Jaffe RB. Development and regulation of growth and differentiated function in human and subhuman primate fetal gonads. *Endocr Rev* 1990; 11(4): 532 – 57. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/2292242?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pepe GJ, Albrecht ED. Actions of placental and fetal adrenal steroid hormones in primate pregnancy. *Endocr Rev* 1995; 16(5): 608-48. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/8529574?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Wald NJ, Watt HC, Hackshaw AK. Integrated screening for down's syndrome based on tests performed during the first and second trimesters. *NEJM* 1999; 341(7): 461-467. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10441601?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Castracane VD. Endocrinology of preterm labor. *Clin Obstet Gynecol* 2000; 43(4): 717-26. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11100289?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Meis PJ. 17 hydroxyprogesterone for the prevention of preterm delivery. *Obstet Gynecol* 2005; 105:1128 –35. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15863556?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Challis JRG, Matthews SG, Gibb W, Lye SJ. Endocrine and paracrine regulation of birth at term and preterm. *Endocr Rev* 2000; 21(5):514-50. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11041447?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mesiano S. Myometrial progesterone responsiveness and the control of human parturition. *J Soc Gynecol Investig* 2004; 11(4):193-202. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15120691?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

X. FEMALE INFERTILITY

a. Tubal

Zeyneloglu HB, Arici A, Olive DL. Adverse effects of hydrosalpinx on pregnancy rates after in vitro fertilization-embryo transfer. *Fertil Steril* 1998; 70:492-499. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/9757878?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Westrom L. Incidence, prevalence, and trends of acute pelvic inflammatory disease and its consequences in industrialized countries. *Am J Obstet Gynecol* 1980; 138:880-892. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/7008604?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kodaman PH, Arici A, Seli E. Evidence-based diagnosis and management of tubal factor infertility. *Curr Opin Obstet Gynecol*. 2004; 16(3):221-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15129051?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kontoravdis A, Makrakis E, Pantos K, Botsis D, Deligeoroglou E, Creatsas G. Proximal tubal occlusion and salpingectomy result in similar improvement in in vitro fertilization outcome in patients with hydrosalpinx. *Fertil Steril*. 2006; 86(6):1642-9. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17069813?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gelbaya TA, Nardo LG, Fitzgerald CT, Horne G, Brison DR, Lieberman BA. Ovarian response to gonadotropins after laparoscopic salpingectomy or the division of fallopian tubes for hydrosalpinges. *Fertil Steril*. 2006; 85(5):1464-8. Epub 2006 **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16580673?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Strandell A, Lindhard A, Waldenstrom U, Thorburn J, Janson PO, Hamberger L. Hydrosalpinx and IVF outcome: a prospective, randomized multicentre trial in Scandinavia on salpingectomy prior to IVF. *Hum Reprod* 1999; 14(11):2762-9. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10548619?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Endometriosis

Sampson JA. Peritoneal endometriosis due to menstrual dissemination of endometrial tissue into the peritoneal cavity. Am J Obstet Gynecol 1927; 71:422-69. **Classic**

Dizerega GS, Barber DL, Hodgen GD. Endometriosis the role of ovarian steroids in initiation: Maintenance and suppression. Fertil Steril 1980; 33:649-53. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6769717?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Halme J, Becker S, Haskell S. Altered maturation and function of peritoneal macrophages possible role of pathogenesis of endometriosis. Am J Obstet Gynecol 1987; 56:783-789. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3578392?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Marcoux S, Maheux R, Berube S, et al. Canadian Collaboration Group on Endometriosis. Laparoscopic surgery in infertile women with minimal or mild endometriosis. N Eng J Med 1997; 377:212-22. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9227926?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Berube S, Marcoux S, Langevin M, Maheux R, The Canadian Collaborative Group on Endometriosis. Fecundity of infertile women with minimal or mild endometriosis and women with unexplained infertility. Fertil Steril 1998; 69:1034-1041. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9627289?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Haney AF, Muscato JJ, Weinberg JB. Peritoneal fluid cell populations in infertility patients. Fertil Steril 1981; 35(6):696-8. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7195828?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kresch AJ, Seifer DB, Sachs LB, Barrese I. Laparoscopy in 100 women with chronic pelvic pain. Obstet Gynecol 1984; 64(5):672-4 **Classic**
http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=Search&Term=%22Barrese%20I%22%5BAuthor%5D&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVAbstractPlusDrugs1

Barbieri RL, Niloff JM, Bast RC Jr, Scaetzi E, Kistner RW, Knapp RC. Elevated serum concentrations of CA-125 in patients with advanced endometriosis. Fertil Steril 1986; 45(5):630-4. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3457709?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVAbstractPlusDrugs1

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kao LC, Germeyer A, Tulac S, Lobo S, Yang JP, Taylor RN, Osteen K, Lessey BA, Giudice LC. Expression profiling of endometrium from women with endometriosis reveals candidate genes for disease-based implantation failure and infertility. *Endocrinology* 2003; 144(7):2870-81

Important

http://www.ncbi.nlm.nih.gov/pubmed/12810542?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Buchweitz O, Staebler A, Tio J, Kiesel L. Detection of peritoneal endometriotic lesions by autofluorescence laparoscopy. *Am J Obstet Gynecol* 2006; 195(4):949-54 **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16677595?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lebovic DI; Mueller MD; Taylor RN. Immunobiology of endometriosis. *Fertil Steril* 2001; 75(1):1-10 **Review**

http://www.ncbi.nlm.nih.gov/pubmed/11163805?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sagsveen M, Farmer JE, Prentice A, Breeze A. Gonadotrophin-releasing hormone analogues for endometriosis: bone mineral density. *Cochrane Database of Systematic Reviews* 2003; (4):CD001297. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14583930?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Brosens I, Puttemans P, Campo R, Gordts S, Brosens J. Non-invasive methods of diagnosis of endometriosis. *Curr Op Obstet Gynecol* 2003; 15(6):519-22 **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14624220?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Berkley KJ, Rapkin AJ, Papka RE. The pains of endometriosis. *Science* 2005; 308(5728):1587-9. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15947176?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Allen C, Hopewell S, Prentice A. Non-steroidal anti-inflammatory drugs for pain in women with endometriosis. *Cochrane Database of Systematic Reviews* 2005; (4):CD004753. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16235379?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hart RJ, Hickey M, Maouris P, Buckett W, Garry R. Excisional surgery versus ablative surgery for ovarian endometriomata. Cochrane Database of Systematic Reviews 2005; (3):CD004992. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16034960?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ferrero S, Abbamonte LH, Anserini P, Remorgida V, Ragni N. Future perspectives in the medical treatment of endometriosis. Obstetrical & Gynecological Survey 2005; 60(12):817-26. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16359564?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Somigliana E, Viganò P, Parazzini F, Stoppelli S, Giambattista E, Vercellini P. Association between endometriosis and cancer: a comprehensive review and a critical analysis of clinical and epidemiological evidence. Gynecol Onc 2006; 101(2):331-41. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16473398?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

De Hondt A, Meuleman C, Tomassetti C, Peeraer K, D'Hooghe TM. Endometriosis and assisted reproduction: the role for reproductive surgery? Curr Op Obstet Gynecol 2006; 18(4):374-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16794415?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sallam HN, Garcia-Velasco JA, Dias S, Arici A. Long-term pituitary down-regulation before in vitro fertilization (IVF) for women with endometriosis. Cochrane Database of Systematic Reviews 2006; (1):CD004635. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16437491?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Unexplained

Guzick DS, Carson SA, Coutifaris C, Overstreet JW, Factor-Litvak P, Steinkampf MP, Hill JA, Mastroianni L, Buster JE, Nakajima ST, Vogel DL, Canfield RE. Efficacy of superovulation and intrauterine insemination in the treatment of infertility. National Cooperative Reproductive Medicine Network. N Engl J Med 1999; 340(3):177-83. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9895397?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Donderwinkel PF, van der Vaart H, Wolters VM, Simons AH, Kroon G, Heineman MJ. Treatment of patients with longstanding unexplained

subfertility with in vitro fertilization. *Fertil Steril* 2000; 73:334-337.

Important

http://www.ncbi.nlm.nih.gov/pubmed/10685539?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Dankert T, Kremer JA, Cohlen BJ, Hamilton CJ, Jong PC, Straatman H, Dop PA. A randomized clinical trial of clomiphene citrate versus low dose recombinant FSH for ovarian hyperstimulation in intrauterine insemination cycles for unexplained and male subfertility. *Hum Reprod* 2007; 22(3):792-7

Important

http://www.ncbi.nlm.nih.gov/pubmed/17110396?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pandian Z, Bhattacharya S, Vale L, Templeton A. In vitro fertilization for unexplained subfertility. *Cochrane Database Syst Rev* 2005; 18(2) **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15846658?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mol BW, Dijkman B, Wertheim P, Lijmer J, van der Veen F, Bossuyt PM. The accuracy of serum chlamydial antibodies in the diagnosis of tubal pathology: a meta-analysis. *Fertil Steril* 1997; 67(6):1031-7. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9176440?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Johnson NP, Mak W, Sowter MC. Surgical treatment for tubal disease in women due to undergo in vitro fertilisation. *Cochrane Database Syst Rev* 2004; (3) **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15266464?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ahmad G, Watson A, Vandekerckhove P, Lilford R. Techniques for pelvic surgery in subfertility. *Cochrane Database Syst Rev* 2006; (2) **Review**

http://www.ncbi.nlm.nih.gov/pubmed/17443612?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Yossry M, Aboulghar M, D'Angelo A, Gillett W. In vitro fertilisation versus tubal reanastomosis (sterilisation reversal) for subfertility after tubal sterilisation. *Cochrane Database Syst Rev* 2006 **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16856034?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XI. LABORATORY CAPABILITIES

a. Hormone Assays

Berson SA, Yalow RS. General principles of radioimmunoassay. Clin Chim Acta 1968; 22:51-69. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4882992?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lepage R, Albert C. Fifty years of development in the endocrinology laboratory. Clin Biochem 2006; 39:542-57. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/16730257?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rosner W, Auchus RJ, Azziz R, Sluss PM, Raff H. Utility, Limitations, and Pitfalls in Measuring Testosterone: An Endocrine Society Position Statement. J Clin Endocrinol Metab 2007; 92:405-13. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17090633?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rinaldi S, Dechaud H, Biessy C, Morin-Raverot V, Toniolo P, Zeleniuch-Jacquotte A, et al. Reliability and validity of commercially available, direct radioimmunoassays for measurement of blood androgens and estrogens in postmenopausal women. Can Epidemiol Biol 2001; 10: 757-65. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11440961?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stanczyk FZ, Cho MM, Endres DB, Morrison JL, Patel S, Paulson RJ. Limitations of direct estradiol and testosterone immunoassay kits. Steroids 2003; 68:1173-78. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/14643879?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Raff H, Raff JL, Findling JW. Late-night salivary cortisol as a screening test for Cushing's syndrome. J Clin Endocrinol Metab 1998; 83:2681-86. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/9709931?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Davies S, Byrn F, Cole LA. Human chorionic gonadotropin testing for early pregnancy viability and complications. Clin Lab Med 2003; 23:257-64. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12848444?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

b. Genomics

Watson JD, Crick FHC. Molecular Structure of Nucleic Acids: A Structure for Deoxyribose Nucleic Acid. *Nature* 1953; 171:737-38.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/12569935?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

International Human Genome Sequencing Consortium. Finishing the Euchromatic Sequence of the Human genome. *Nature* 2004; 431:931-45.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/15496913?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jayapal M, Melendez AJ. DNA Microarray Technology for Target Identification and Validation. *Clin Exp Pharmacol Physiol* 2006; 33:496-503. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16700885?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Petrik, J. Diagnostic Applications of Microarrays. *Transfusion Med* 2006; 16:233-47. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16879151?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gibbs RA, et al. The International HapMap Project. *Nature* 2003; 426:789-96. **Important**

Taylor RN, Lundeen SG, Giudice LC. Emerging role of genomics in endometriosis research. *Fertil Steril* 2002; 78:694-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12372442?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ward K. Microarray technology in obstetrics and gynecology: a guide for clinicians. *Am J Obstet Gynecol* 2006; 195:364-72. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16615920?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chaudhuri JD. Genes arrayed out for you: the amazing world of microarrays. *Med Sci Monit* 2005; 11:52-62. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15668645?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

c. Proteomics

Geerlof A, Brown J, Coutard B, Egloff MP, Enguita FJ, Fogg MJ, et al. The impact of protein characterization in structural proteomics. *Acta Crystallogr D Biol Crystallogr* 2006; 62:1125-36. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/17001090?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palagi PM, Hernandez P, Walther D, Appel RD. Proteome informatics I: bioinformatics tools for processing experimental data. *Proteomics* 2006; 6:5435-44. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16991191?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

d. Pharmacogenetics/genomics

Greb RP, Behre HM, Simoni M. Pharmacogenetics in ovarian stimulation – current concepts and future options. *Reprod Biomed Online* 2005; 11:589-600. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16409708?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hockett RD, Kirkwood SC, Mitlak BH, Dere WH. Pharmacogenomics in endocrinology. *J Clin Endocrinol Metab* 2002; 87:2459-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12050204?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hines RN, McCarver DG. Pharmacogenomics and the future of drug therapy. *Pediatr Clin North Am* 2006; 53:591-619. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16872995?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

de Castro F, Moron FJ, Montoro L, Real LM, Ruiz A. Pharmacogenetics of controlled ovarian hyperstimulation. *Pharmacogenomics* 2005; 6:629-37. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16143002?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XII. MALE FACTOR INFERTILITY

a. Semen Assessment/Treatment

Schlegel P. Male Infertility: Evaluation and Sperm Retrieval. Clin Obstet Gynecol 2006; 49:55-72. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16456343?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Brugh VM 3rd, Lipshultz LI. Male factor infertility: evaluation and management. Med Clin North Am 2004; 88(2): 367-85. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15049583?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

McLachlam RI, Kaker HW, et al. Semen analysis: its place in modern reproductive medical practice. Pathology 2003; 35(1):25-33. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12701680?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kruger TF, Acosta AA, Simmons KF, Swanson FJ, Matta JF, Veeck LL, Morshedi M, Brugo S. New Method of Evaluating Sperm Morphology with predictive value for human In Vitro Fertilization. Urology 1987; 30:248-251. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3629768?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Evenson DP, Darzynkiewicz Z, Melamed MR. Relation of mammalian sperm chromatin heterogeneity to fertility. Science 1980; 240:1131-3. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7444440?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sun F, Ko E, Martin RH. Is there a relationship between sperm chromosome abnormalities and sperm morphology? Reprod Biol Endocrinol 2006; 4:1. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16436209?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Evenson D, Wixon R. Clinical Aspects of sperm DNA fragmentation detection and male infertility. Theriogenology 2006; 65: 979-991. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16242181?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bungum M, Humaidan P, Spano M, Jepson K, Bungum L, Giwercman A. The predictive value of sperm chromatin structure assay (SCSA) parameters for the outcome of intrauterine insemination, IVF and ICSI. Hum Reprod 2004; 19: 1401-1408. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15117894?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palermo G, Joris H, Devroey P, Van Steirteghem AC. Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte. The Lancet 1992; 340: 17-18. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1351601?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palermo GD, Cohen J, Alikani M. et al. Intracytoplasmic sperm injection: a novel treatment for all forms of male factor infertility. Fertil Steril 1995; 63:1231-1240. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7750593?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chan P, Schlegel P. Nonobstructive Azoospermia. Curr Opin Urol 2000; 10: 617-624. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11148736?ordinalpos=24&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palermo GD, Schlegel P, Hariprasad J, Ergun B, Mielnik A, Zaninovic N, Veeck L, Rosenwaks Z. Fertilization and pregnancy outcome with intracytoplasmic sperm injection for azoospermic men. Hum Reprod 1999; 14:741-748. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10221707?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bonduelle M, Wennerholm B, Loft A, Tarlatzis BC, Peters C, Henriot S, et al. A multi-centre cohort study of the physical health of 5-year-old children conceived after intracytoplasmic sperm injection, in vitro fertilization and natural conception. Hum Reprod 2005; 20: 413-419. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15576393?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palermo GD, Schlegel PN, Sillis ES, Veeck L, et al. Births after intracytoplasmic injection of sperm obtained by testicular extraction in men with nonmosaic Klinefelter's syndrome. New Engl J Med 1998; 338: 588-560. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/9475766?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mulhall J, Burgess C, Cunningham D, Carson R, Harris D, Oates R. Presence of Mature sperm in testicular parenchyma of men with nonobstructive azoospermia: Prevalence and Predictive Factors. *Urology* 1997; 49: 91-96. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9000192?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chan DJ. Pathophysiology of HIV-1 in semen: current evidence for compartmentalisation and penetration by antiretroviral drugs. *Curr HIV Res* 2005; 3(3):207-22. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16022654?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Genetic Testing

Hopps CV, Mielnik A, Goldstein M, Palermo GD, Rosenwaks Z, Schlegel PN. Detection of sperm in men with Y chromosome microdeletions of the AZFa, AZFb and AZFc regions. *Hum Reprod* 2003; 18: 1660-1665.

Important

http://www.ncbi.nlm.nih.gov/pubmed/12871878?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mulhall JP, Reijo R, Alagappan R, Brown L, Page D, Carson R, Oates RD. Azoospermic men with deletion of the DAZ gene cluster are capable of completing spermatogenesis: fertilization, normal embryonic development and pregnancy occur when retrieved testicular spermatozoa are used for intracytoplasmic sperm injection. *Hum Reprod* 1997; 12: 503-508.

Important

http://www.ncbi.nlm.nih.gov/pubmed/9130751?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pryor JL, Kent-First M, Muallen A, Van Bergen AH, Nolten WE, Meisner I, Roberts KP. Microdeletions in the Y Chromosome of Infertile Men. *New Engl J Med* 1997; 336(8):534-9. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9023089?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vogt PH, Edelmann A, Kirsch S, Henegariu O, Hirschmann O, Hirschmann P, et al. Human Y chromosome azoospermia factors (AZF) mapped to different subregions in Yq11. *Hum Molec Genet* 1996; 5(7): 933-943. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8817327?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Reijo R, Lee TY, Salo P, Alagappan R, Brown LG et al. Diverse spermatogenic defects in humans caused by Y chromosome deletions encompassing a novel RNA-binding protein gene. *Nat Genet* 1995; 10: 383-393. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/7670487?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Role of Varicocele

Madgar I, et al. Controlled trial of high spermatic vein ligation for varicocele in infertile men. *Fertil Steril* 1995; 63:120. **Important**

Schlegel P, Kaufmann J. Role of varicoectomy in men with nonobstructive azoospermia. *Fertil Steril* 2004; 81:1585-1588. **Review**
[://www.ncbi.nlm.nih.gov/pubmed/15193481?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/15193481?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Matthews G, Matthews E, Goldstein M. Induction of spermatogenesis and achievement of pregnancy after microsurgical varicoectomy in men with azoospermia and severe oligoasthenospermia. *Fertil Steril* 1998; 70:71-75.

Important
[://www.ncbi.nlm.nih.gov/pubmed/9660424?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/9660424?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Nabi G, Asterlings S, Greene DR, Pmarsh RL. Percutaneous embolization of varicoceles: outcomes and correlation of semen improvement with pregnancy. *Urology* 2004; 63(2):359-63. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/14972491?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XIII. MECHANISMS OF HORMONE ACTION

a. G Protein Coupled Receptors

Ulloa-Aguirre A, Janovick JA, Miranda AL, Conn PM. G-protein-coupled receptor trafficking: understanding the chemical basis of health and disease. *ACS Chem Biol* 2006; 1:631-38. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17168568?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Oh da Y, Kim K, Kwon HB, Seong JY. Cellular and molecular biology of orphan G protein-coupled receptors. *Internat Rev Cytol* 2006; 252:163-

218. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16984818?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lania AG, Mantovani G, Spada A. Mechanisms of disease: Mutations of G proteins and G-protein-coupled receptors in endocrine diseases. *Nat Clin Pract Endocrinol Metab* 2006; 2:681-93. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17143315?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Altman J. Endocrine receptors as targets for new drugs. *Neuroendocrinology* 2006; 83:282-88. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16926529?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Offermanns S. Conditional mutagenesis of G-protein coupled receptors and G-proteins. *Handbook Exp Pharmacol* 2007; 178:491-509. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17203668?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Katanaev VL, Chornomorets M. Kinetic diversity in G-protein-coupled receptor signalling. *Biochem Journal* 2007; 401:485-95. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16989639?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lohse MJ. G protein-coupled receptors: too many dimers? *Nature Meth* 2006; 3(12):972-73. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17117152?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gao QB, Wang ZZ. Classification of G-protein coupled receptors at four levels. *Protein Engineering, Design & Selection* 2006; 19(11):511-6.

Important

http://www.ncbi.nlm.nih.gov/pubmed/17032692?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pluder F, Morl K, Beck-Sickinger AG. Proteome analysis to study signal transduction of G protein-coupled receptors. *Pharmacol Therap* 2006; 112:1-11. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16644018?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Nuclear Receptors

Nagy L, Schule R, Gronemeyer H. Twenty years of nuclear receptors: Conference on Nuclear Receptors: from Chromatin to Disease. *EMBO Rept* 2006; 7:579-84. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16729019?ordinalpos=19&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Baniahmad A. Nuclear hormone receptor co-repressors. *J Steroid Biochem Mol Biol* 2005; 93:89-97. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15860250?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Molenda HA, Kilts CP, Allen RL, Tetel MJ. Nuclear receptor coactivator function in reproductive physiology and behavior. *Biol Repro* 2003; 69:1449-57. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12855594?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rochette-Egly C. Nuclear receptors: integration of multiple signalling pathways through phosphorylation. *Cell Sign* 2003; 15:355-66. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12618210?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Tata JR. Signalling through nuclear receptors. *Nat Rev Mol Cell Biol* 2002; 3:702-10. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12209130?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kucharova S, Farkas R. Hormone nuclear receptors and their ligands: role in programmed cell death. *Endocr Reg* 2002; 36:37-60. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/11971750?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Urnov FD, Wolffe AP. A necessary good: nuclear hormone receptors and their chromatin templates. *Mol Endocrinol* 2001; 15:1-16. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/11145735?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Orphan Receptors

Chang C, Kokontis J. Identification of a new member of the steroid receptor super-family by cloning and sequence analysis. *Biochem Biophys Res Commun* 1998; 155:971-77. **Classics**
http://www.ncbi.nlm.nih.gov/pubmed/3421977?ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Giguere V, Yang N, Segui P, Evans RM. Identification of a new class of steroid hormone receptors. *Nature* 1988; 331:91-4. **Classics**
http://www.ncbi.nlm.nih.gov/pubmed/3267207?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Horard B, Vanacker JM. Estrogen receptor-related receptors: orphan receptors desperately seeking a ligand. *J Mol Endocrinol* 2003; 31:349-57. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/14664699?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Giguere V. To ERR in the estrogen pathway. *Trends Endocrinol Metab* 2002; 13:220-5. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12185669?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Villena JA, Hock MB, Chang WY, Barcas JE, Giguere V, Kralli A. Orphan nuclear receptor estrogen-related receptor {alpha} is essential for adaptive thermogenesis. *Proc Natl Acad Sci* 2007; 104:1418-23. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17229846?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Willy PJ, Murray IR, Qian J, Busch BB, Stevens WC Jr, Martin R, et al. Regulation of PPARgamma coactivator 1alpha (PGC-1alpha) signaling by an estrogen-related receptor alpha (ERRalpha) ligand. *Proc Natl Acad Sci* 2004; 101:8912-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15184675?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

d. Signal Transduction Pathways

Roseler WJ, Vandenbark GR, Hanson RW. Cyclic AMP and the induction of eukaryotic gene transcription. *J Biol Chem* 1988; 263:9063. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/2837474?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rasmussen H. The calcium messenger system. *New Eng J Med* 1986; 314:1164. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3007987?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Brown MS, Goldstein JL. A receptor-mediated pathway for cholesterol homeostasis. *Science* 1986; 232:34. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3513311?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Neer EJ. Heterotrimeric G proteins: organizers of transmembrane signals. *Cell* 1995; 80:249. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7834744?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cabrera-Vera TM, Vanhauwe J, Thomas TO, Medkova M, Preininger A, Mazzoni MR, et al. Insights into G protein structures, function, and regulation. *Endocr Rev* 2003; 24:765. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/14671004?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Paria BC, Reese J, Das DK, Dey SK. Deciphering the cross talk of implantation: advances and challenges. *Science* 2002; 296:2185. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/12077405?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lange CA. Making sense of cross-talk between steroid hormone receptors and intracellular signaling pathways: who will have the last word? *Mol Endocrinol* 2004; 2:269. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/14563938?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Conti M. Specificity of the cyclic adenosine 3', 5'-monophosphate signal in granulosa cell function. *Biol Repro* 2002; 67:1653. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12444038?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XIV. MENOPAUSE

a. General

Grodin JM, Siiteri PK, McDonald PC. Source of estrogen production in postmenopausal women. *J Clin Endocrinol Metab* 1973; 36:207. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/4688315?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Meldrum DR, Davidson BJ, Tataryn IV, Judd HL. Changes in circulating steroids with aging in postmenopausal women. *Obstet Gynecol* 1981; 57:

624. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/7219911?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Avis NE, McKinlay SM. A longitudinal analysis of women's attitudes toward the menopause: results from the Massachusetts Women's Health Study. *Maturitas* 1991; 13:65-79. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/1861643?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Santoro N, Brown JR, Adel T, Skurnick JH. Characterization of reproductive hormonal dynamics in the perimenopause. *J Clin Endocrinol Metab* 1996; 81: 1495-01. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8636357?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Manson JE. Walking as effective as vigorous exercise at preventing CHD in women. *N Eng J Med* 1999; 341: 650-58. **Classic**

Landgren BM, Collins A, Csemiczky G, Burger HG, Baksheev L, Robertson DM. Menopause transition: Annual changes in serum hormonal patterns over the menstrual cycle in women during a nine-year period prior to menopause. *J Clin Endocrinol Metab* 2004; 89(6):2763-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15181055?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Soules MR, Sherman S, Parrott E, Rebar R, Santoro N, Utian W, Woods N. Executive summary: Stages of Reproductive Aging Workshop (STRAW). *Fertil Steril* 2001; 76:874-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11704104?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Santoro N, Lasley B, McConnell D, Allsworth J, Crawford S, Gold EB, Finkelstein JS, Greendale GA, Kelsey J, Korenman S, Luborsky JL, Matthews K, Midgley R, Powell L, Sabatine J, Schocken M, Sowers MF, Weiss G. Body size and ethnicity are associated with menstrual cycle alterations in women in the early menopausal transition: The Study of Women's Health across the Nation (SWAN) Daily Hormone Study. *J Clin Endocrinol Metab* 2004; 89:2622-31. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/15181033?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gold EB, Colvin A, Avis N, Bromberger J, Greendale GA, Powell L, Sternfeld B, Matthews K. Longitudinal analysis of the association between vasomotor symptoms and race/ethnicity across the menopausal transition:

study of women's health across the nation. Am J Public Health 2006; 96:1226-35. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16735636?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Dennerstein L, Lehert P, Guthrie JR, Burger HG. Modeling women's health during the menopausal transition: a longitudinal analysis. Menopause 2007; 14:53-62. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17023873?ordinalpos=26&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lamberts SW, van den Beld AW, van der Lely AJ. The endocrinology of aging. Science 1997; 278:419-24. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9334293?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Nerbrand C, Lidfeldt J, Nyberg P, Schersten B, Samsioe G. Serum lipids and lipoproteins in relation to endogenous and exogenous female sex steroids and age. The Women's Health in the Lund Area (WHILA) study. Maturitas 2004; 48:161-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15172091?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gracia CR, Sammel MD, Freeman EW, Lin H, Langan E, Kapoor S, Nelson DB. Related Articles, Defining menopause status: creation of a new definition to identify the early changes of the menopausal transition. Menopause 2005; 12:128-35. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15772558?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sherman S, Miller H, Nerurkar L, Schiff I. The NIH State-of-the-Science Conference on Management of Menopause-Related Symptoms March 21-23, 2005 Bethesda, Maryland. Am J Med 2005; 118 Supp 2:1-172. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16414320?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Hormone Therapy

Woodruff JD, Pickar JH. Incidence of endometrial hyperplasia in postmenopausal women taking conjugated estrogens (Premarin) with medroxyprogesterone acetate or conjugated estrogens alone. The Menopause Study Group. Am J Obstet Gynecol 1994; 170:1213-23. **Classic**

<http://www.ncbi.nlm.nih.gov/pubmed/8178840?ordinalpos=1&itool=E>

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Semmens JP, Wagner G, Effects of estrogen therapy on vaginal physiology during menopause. *Obstet Gynecol* 1985; 66:15-8. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2989746?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Grady D. Clinical Practice. Management of menopausal symptoms. *New Eng J Med* 2006; 355:2338-47. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/17135587?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vickers MR, Martin J, Meade TW, Wisdom Study Team T. The womens international study of long-duration oestrogen after menopause (WISDOM): a randomized controlled trial. *BMC Womens Health* 2007; 7:2. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17324282?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Writing Group for the WHI. Risks and benefits of estrogen plus progestin in healthy postmenopausal women – principal results from the women’s health initiative randomized controlled trial. *JAMA* 2002; 288:321-33. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12117397?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Women’s Health Initiative Steering Committee. The Effects of conjugated equine estrogen in postmenopausal women with hysterectomy. *JAMA* 2004; 291:1701-12. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15082697?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lyytinen H, Pukkala E, Ylikorkala O. Breast cancer risk in postmenopausal women using estrogen-only therapy. *Obstet Gynecol* 2006; 108:1354-60. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/17138766?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Simon J, Braunstein G, Nachtigall L, Utian W, Katz M, Miller S, et al. Testosterone patch increases sexual activity and desire in surgically menopausal women with hypoactive sexual desire disorder. *J Clin Endocrinol Metab* 2005; 90:5226-33. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16014407?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Shumaker SA, Legault C, Kuller L, Rapp SR, Thal L, Lane DS, et al. Conjugated equine estrogens and incidence of probable dementia and mild cognitive impairment in postmenopausal women: Women's Health Initiative Memory Study. J Am Med Assoc 2004; 291:2947-58.

Important

http://www.ncbi.nlm.nih.gov/pubmed/15213207?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Henderson VW, Paganini-Hill A, Miller BL, Elble RJ, Reyes PF, Shoupe D, et al. Estrogen for Alzheimer's disease in women: randomized, double-blind, placebo-controlled trial. Neurology 2000; 54:295-301. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10668686?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Grodstein F, Manson JE, Stampfer MJ. Hormone therapy and coronary heart disease: the role of time since menopause and age at hormone initiation. J Womens Health 2006; 15:35-44. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16417416?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Buster JE, Kingsberg SA, Aguirre O, Brown C, Breaux JG, Buch A, et al. Testosterone patch for low sexual desire in surgically menopausal women: a randomized trial. Obstet Gynecol 2005; 105:944-52. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15863529?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Collaborative Group on Hormonal Factors in Breast Cancer. Breast Cancer and epidemiological studies of 52,706 women with breast cancer and 108,411 women without breast cancer. Lancet 1997; 350:1047-59.

Important

Hulley S, Grady D, Bush T, Furberg C, Herrington D, Riggs B et al. Randomized trial of estrogen plus progestin for secondary prevention of coronary heart disease in postmenopausal women. Heart and Estrogen/progestin Replacement Study (HERS) Research Group. JAMA 1998; 280:605-13. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9718051?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Osteoporosis

Currey JD. The mechanical consequences of variation in the mineral content of bone. J Biomech 1969; 2:1-11. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/16335107?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ettinger B, Genant HK, Cann CE. Postmenopausal bone loss is prevented by treatment with low-dosage estrogen with calcium. *Ann Intern Med* 1987; 106:40-5. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3789576?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gilsanz V, Roe TF, Mora S, Costin G, Goodman WG. Changes in vertebral bone density in black girls and white girls during childhood and puberty. *N Engl J Med* 1991; 325:1597-600. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/1944449?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Black DM, Cummings SR, Karpf DB, Cauley JA, Thompson DE, Nevitt MC, Bauer DC, Genant HK, Haskell WL, Marcus R, Ott SM, Torner JC, Quandt SA, Reiss TF, Ensrud KE. Randomised trial of effect of alendronate on risk of fracture in women with existing vertebral fractures. *Lancet* 1996; 348:1535-41. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8950879?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ettinger B, Black DM, Mitlak BH, Knickerbocker RK, Nickelsen T, Genant HK, Christiansen C, Delmas PD, Zanchetta JR, Stakkestad J, Gluer CC, Krueger K, Cohen FJ, Eckert S, Ensrud KE, Avioli LV, Lips P, Cummings SR. Reduction of vertebral fracture risk in postmenopausal women with osteoporosis treated with raloxifene: results from a 3-year randomized clinical trial. *JAMA* 1999; 282: 637-45. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/10517716?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Harris ST, Watts NB, Genant HK, McKeever CD, Hangartner T, Keller M, Chesnut CH 3rd, Brown J, Eriksen EF, Hoseney MS, Axelrod DW, Miller PD. Effects of risedronate treatment on vertebral and nonvertebral fractures in women with postmenopausal osteoporosis: a randomized controlled trial. *JAMA* 1999; 282:1344-52. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/10527181?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Neer RM, Arnaud CD, Zanchetta JR, Prince R, Gaich GA, Reginster JY, Hodsman AB, Eriksen EF, Ish-Shalom S, Genant HK, Wang O, Mitlak BH. Effect of parathyroid hormone (1-34) on fractures and bone mineral density in postmenopausal women with osteoporosis. *N Engl J Med* 2001; 344:1434-41. **Classic**

<http://www.ncbi.nlm.nih.gov/pubmed/11346808?ordinalpos=2&itool=>

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Rosen CJ. Postmenopausal Osteoporosis. N Engl J Med 2005; 353:595-603. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16093468?ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Raisz LG. Screening for Osteoporosis. N Engl J Med 2005; 353:164-71. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16014886?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Women's Health Initiative Investigators: Calcium plus Vitamin D Supplementation and the Risk of Fractures. N Engl J Med 2006; 354:669-83. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16481635?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Seeman E, Delmas PD. Bone Quality--The Material and Structural Basis of Bone Strength and Fragility. N Engl J Med 2006; 354:2250-61. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16723616?ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XV. NEUROENDOCRINE FUNCTION AND DISEASE

Nakai Y, Plant TM, Hess DL, Keogh EJ, Knobil E. On the sites of the negative and positive feedback actions of estradiol in the control of gonadotropin secretion in the rhesus monkey. Endocrinol 1978; 102:1008-14. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/105873?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Belchetz PE, Plant TM, Nakai Y, Keogh EJ, Knobil E. Hypophysial responses to continuous and intermittent delivery of hypophyseal gonadotropin-releasing hormone. Science 1978; 202:631-3. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/100883?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Schally AV, Redding TW, Bowers CY, Barrett JF. Isolation and properties of porcine thyrotropin-releasing hormone. J Biol Chem 1969; 244:4077-88. **Classic**
<http://www.ncbi.nlm.nih.gov/pubmed/4979236?ordinalpos=7&itool=E>

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Segerson TP, Kauer J, Wolfe HC, Mobtaker H, Wu P, Jackson IM et al. Thyroid hormone regulates TRH biosynthesis in the paraventricular nucleus of the rat hypothalamus. *Science* 1987; 238:78-80. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/3116669?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Finkelstein JW, Roffwarg HP, Boyar RM, Kream J, Hellman L. Age-related change in the twenty-four-hour spontaneous secretion of growth hormone. *J Clin Endocrinol Metab* 1972; 35:665-70. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/5071338?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Miller JD, Tannenbaum GS, Colle E, Guyda HJ. Daytime pulsatile growth hormone secretion during childhood and adolescence. *J Clin Endocrinol Metab* 1982; 55:989-94. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6749884?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vale W, Spiess J, Rivier C, Rivier J. Characterization of a 41-residue ovine hypothalamic peptide that stimulates secretion of corticotropin and beta-endorphin. *Science* 1981; 213:1394-7. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6267699?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Burrow GN, Wortzman G, Rewcastle NB, Holgate RC, Kovacs K. Microadenomas of the pituitary and abnormal sellar tomograms in an unselected autopsy series. *N Engl J Med* 1981; 304:156-8. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7442734?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mais V, Cetel NS, Muse KN, Quigley ME, Reid RL, Yen SS. Hormonal dynamics during luteal-follicular transition. *J Clin Endocrinol Metab* 1987; 64:1109-14. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/3106394?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Zhang Y, Proenca R, Maffei M, Barone M, Leopold L, Friedman JM. Positional cloning of the mouse obese gene and its human homologue. *Nature* 1994; 372:425-32. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7984236?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sheehan HL, Murdoch R. Postpartum necrosis of the anterior pituitary: pathological and clinical aspects. *J Obstet Gynaecol Br Emp* 1938; 45: 456-88. **Classic**

Klibanski A, Neer R, Beitins IZ et al. Decreased bone density in hyperprolactinemic women. *N Eng J Med* 1980; 303:1511. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7432421?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Brenner SH, Lessing JB, Quagliarello J, Weiss G. Hyperprolactinemia and associated pituitary prolactinomas. *Obstet Gynecol* 1985; 65:661-664.

Important

http://www.ncbi.nlm.nih.gov/pubmed/4039046?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sisam DA, Sheehan JP, Sheeler LR. The natural history of untreated microprolactinomas. *Fertil Steril* 1987; 48:67-71. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/3595916?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XVI. NUTRITION AND REPRODUCTION

Clark AM, Ledger W, Galletly C, Tomlinson L, Blaney F, Wang X, Norman RJ. Weight loss results in significant improvement in pregnancy and ovulation rates in anovulatory obese women. *Human Reproduction* 1995; 10(10):2705-12. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8567797?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Moran LJ, Noakes M, Clifton PM, Tomlinson L, Galletly C, Norman RJ. Dietary composition in restoring reproductive and metabolic physiology in overweight women with polycystic ovary syndrome. *J Clin Endocrinol Metab* 2003; 88:812-9. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12574218?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kiddy DS, Hamilton-Fairley D, Bush A, Short F, Anyaoku V, Reed MJ, Franks S. Improvement in endocrine and ovarian function during dietary treatment of obese women with polycystic ovary syndrome. *Clin Endocrinol* 1992; 36:105-11. **Important**

<http://www.ncbi.nlm.nih.gov/pubmed/1559293?dopt=AbstractPlus>

Gann PH, Chatterton RT, Gapstur SM, Liu K, Garside D, Giovanazzi S, Thedford K, Van Horn L. The effects of a low-fat/high-fiber diet on sex hormone levels and menstrual cycling in premenopausal women: a 12-

month randomized trial (the diet and hormone study). *Cancer* 2003; 98:1870-9. **Important**
<http://www.ncbi.nlm.nih.gov/pubmed/14584069?dopt=AbstractPlus>

Katz MG, Vollenhoven B. The reproductive endocrine consequences of anorexia nervosa. *BJOG* 2000; 107:707-13. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/10847224?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Tamura T, Picciano MF. Folate and human reproduction. *Am J Clin Nutr* 2006; 83:993-1016. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16685040?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XVII. OVARIAN FUNCTION AND DISEASE STATES

a. Menstrual Cycle

Tietze C,. Reproductive span and rate of reproduction among Hutterite women. *Fertil Steril* 1957; 8(1):89-97. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/13405050?ordinalpos=106&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Treloar AE, Boynton RE, Borghild GB, Brown BW. Variation of the human menstrual cycle through reproductive life. *Int J Fertil* 1967; 12:77-126. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/5419031?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Liu JH, Yen SSC. Induction of midcycle gonadotropin surge by ovarian steroids in women: a critical evaluation. *J Clin Endocrinol Metab* 1983; 57:797. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6411754?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Filicori M, Santoro N, Merriam GR, Crowley Jr WF. Characterization of the physiological pattern of episodic gonadotropin secretion throughout the human menstrual cycle. *J Clin Endocrinol Metab* 1986; 62:1136. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/3084534?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

El-Roeiy A, Chen X, Roberts VJ, LeRoith D, Roberts Jr, CT, Yen SSC. Expression of insulin-like growth factor-I (IGF-I) and IGF-II and the IGF-I, IGFII, and insulin receptor genes and localization of the gene products in the human ovary. *J Clin Endocrinol Metab* 1993; 77:1411. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8077342?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Groome NP, Illingworth PG, O'Brien M, et al. Measurement of dimeric inhibin B throughout the human menstrual cycle. *J Clin Endocrinol Metab* 1996; 81:1401-05. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8636341?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. PMS

Domoney CL, Vashist A, Studd JWW. Premenstrual Syndrome and the Use of Alternative Therapies. *Ann NY Acad Sci* 2003; 997:330-340. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/14644840?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Muse KN, Cetel NS, Futterman LA, Yen SSC. The premenstrual syndrome: effects of "medical oophorectomy". *N Engl J Med* 1984; 311:1345-9. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/6387488?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Casper RF, Hearn MT. The effect of hysterectomy and bilateral oophorectomy in women with severe premenstrual syndrome. *Am J Obstet Gynecol* 1990; 162(1): 105-9. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/2301479?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mortola JF, Girton L, Beck L, et al. Diagnosis of premenstrual syndrome by a simple, prospective, and reliable instrument. The calendar of premenstrual experiences. *Obstet Gynecol* 1990; 76:302-6. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/2371035?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Steiner M, Steinberg G, Stewart D, Carter D, Berger C, Reid R, Grover D, Streiner D. Fluoxetine in the treatment of premenstrual dysphoria. *N Engl J Med* 1995; 332:1529-34. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7739706?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Schmidt PJ, Nieman LK, Danaceau MA, Adams LF, Rubinow DR. Differential behavioral effects of gonadal steroids in women with and in those without premenstrual syndrome. *NEJM* 1998; 334(4):209-16.

Important

http://www.ncbi.nlm.nih.gov/pubmed/9435325?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. PCOS

Dunaif A. Insulin Resistance and the Polycystic Ovary Syndrome: Mechanisms & implication for pathogenesis. *End Reviews* 1997; 18:777-800. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/9408743?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Knochenhauer ES, Key TJ, Kahsar-Miller M, Waggoner W, Boots LR, Azziz R. Prevalence of the Polycystic Ovarian Syndrome in Unselected Black & White Women of the Southeastern United States. *J Clin Endocrinol* 1998; 83:3078-3082. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9745406?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stein IF, Leventhal ML. Amenorrhea associated with bilateral polycystic ovaries. *Am J Obstet Gynecol* 1935; 29:181-191. **Classic**

Goldzieher JW, Axelrod LR. Clinical and biochemical features of polycystic ovarian disease. *Fertil Steril* 1963; 14:631-53. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/14077325?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cooper HE, Spellacy WN, Prem KA, Cohen WD. Hereditary factors in the Stein-Leventhal syndrome. *Am J Obstet Gynecol.* 1968; 100(3):371-87.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/15782458?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Yen SSC, Bela P, Rankin J. Inappropriate secretion of follicle-stimulating hormone and luteinizing hormone in polycystic ovarian syndrome. *J Clin Endocrinol Metab* 1975; 30:435. **Classic**

Wilson EA, Erickson GF, Zarutski P, Finn AE, Tulchinsky D, Ryan KJ. Endocrine studies of normal and polycystic ovarian tissues in vitro. *Am J Obstet Gynecol* 1979; 134(1):56-63. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/220877?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Burghen GA, Givens JR, Kitabchi AE. Correlation of hyperandrogenism with hyperinsulinism in polycystic ovarian disease. *J Clin Endocrinol Metab* 1980; 50(1):113-6. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7350174?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chrousos GP, Loriaux DL, Mann DL, Cutler GB Jr. Late-onset 21-hydroxylase deficiency mimicking idiopathic hirsutism or polycystic ovarian disease. *Ann Intern Med* 1982; 96(2):143-8. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/6977282?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Carmina E, Koyama T, Chang L, Stanczyk FZ, Lobo RA. Does ethnicity influence the prevalence of adrenal androgenism in PCOS? *Am J Obstet Gynecol* 1992; 167:1807-12. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/1471702?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Legro RS, Barnhart HX, Schlaff WD, Carr BR, Diamond MP, Carson SA, Steinkampf MP, Coutifaris C, McGovern PG, Cataldo NA, Gosman GG, Nestler JE, Giudice LC, Leppert PC, Myers ER; Cooperative Multicenter Reproductive Network. Clomiphene, metformin, or both for infertility in the polycystic ovary syndrome. *N Engl J Med* 2007; 356(6):551-66. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17287476?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

d. Premature Ovarian Failure

Jones GS, De Moraes-Ruehsen M. A new syndrome of amenorrhea in association with hypergonadotropism and apparently normal ovarian follicular apparatus. *Am J Obstet Gynecol* 1969; 104:597-600. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/5786709?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rebar RW, Erickson GF, Yen SSC. Idiopathic premature ovarian failure: clinical and endocrine characteristics. *Fertil Steril* 1982; 37:35-41. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6800842?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Nelson LM, Anasti JN, Kimzey LM et al. Development of luteinized Graafian follicles in patients with karyotypically normal spontaneous premature ovarian failure. *J Clin Endocrinol Metab* 1994; 79:1470-1475. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/7962345?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Allen EG, He W, Yadav-Shah M, Sherman SL. A study of the distributional characteristics of FMR1 transcript levels in 238 individuals. Hum Genet 2004; 114:439-447. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/14758538?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bakalov VK, Anasti JN, Calis KA et al. Autoimmune oophoritis as a mechanism of follicular dysfunction in women with 46,XX spontaneous premature ovarian failure. Fertil Steril 2005; 84:958-965. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16213850?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Aittomaki K, Lucena JLD, Pakarinen P et al. Mutation in the follicle-stimulating hormone receptor gene causes hereditary hypergonadotropic ovarian failure. Cell 1995; 82:959-968. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/7553856?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Manuel M, Katayama KP, Jones Jr, HW. The age of occurrence of gonadal tumors in intersex patients with a Y chromosome. Am J Obstet Gynecol 1976; 124:293. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/1247071?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Anasti J. Premature Ovarian Failure: An Update. Fertil Steril 1998; 70: 1-15. **Review**

[://www.ncbi.nlm.nih.gov/pubmed/9660412?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/9660412?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

XVIII. PSYCHOLOGIC AND SEXUAL IMPLICATIONS OF REPRODUCTIVE DISEASES

Eugster A, Vingerhoets AJ. Psychological aspects of in vitro fertilization: a review. Soc Sci Med 1999; 48:575-89. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/10080360?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greil AL. Infertility and psychological distress: a critical review of the literature. Soc Sci Med 1997; 45:1679-704. **Classic**

<http://www.ncbi.nlm.nih.gov/pubmed/9428088?ordinalpos=4&itool=E>

ntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Salvatore P, Gariboldi S, Offidani A, Coppola F, Amore M, Maggini C. Psychopathology, personality, and marital relationship in patients undergoing in vitro fertilization procedures. *Fertil Steril* 2001; 75:1119-25.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/11384636?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stanton AL, Lobel M, Sears S, DeLuca RS. Psychosocial aspects of selected issues in women's reproductive health: current status and future directions. *J Consult Clin Psychol* 2002; 70:751-70. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/12090381?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Read J. Sexual problems associated with infertility, pregnancy, and ageing. *BMJ* 2004; 329:559-61. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15345632?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Labarta JI, Bello E, Ruiz-Echarri M, Rueda C, Martul P, Mayayo E, Ferrandez Longas A. Childhood-onset congenital adrenal hyperplasia: long-term outcome and optimization of therapy. *J Pediatr Endocrinol Metab* 2004; 17 (Suppl 3):411-22. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/15134301?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jordan C, Revenson TA. Gender differences in coping with infertility: a meta-analysis. *J Behav Med* 1999; 22:341-58. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10495967?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Slade P, Emery J, Lieberman BA. A prospective, longitudinal study of emotions and relationships in in-vitro fertilization treatment. *Hum Reprod* 1997; 12:183-90. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9043926?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Verhaak CM, Smeenk JM, Nahujs MJ, Kremer JA, Braat DD. Long-term psychological adjustment to IVF/ICSI treatment in women. *Hum Reprod* 2007; 22:305-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16973721?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Warne G, Grover S, Hutson J, Sinclair A, Metcalfe S, Northam E, et al. A long-term outcome study of intersex conditions. *J Pediatr Endocrinol Metab* 2005; 18(6):555-67. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16042323?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Minto CL, Liao KL, Conway GS, Creighton SM. Sexual function in women with complete androgen insensitivity syndrome. *Fertil Steril* 2003; 80:157-64. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12849818?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Elit L, Esplen MJ, Butler K, Marod S. Quality of life and psychosexual adjustment after prophylactic oophorectomy for a family history of ovarian cancer. *Fam Cancer* 2001; 1:149-56. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/14574171?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XIX. PUBERTY

a. Precocious

Herman-Giddens ME, Slora EJ, Wasserman RC, Bourdony CJ, Bhapkar MV, Koch GG, Hasemeier CM. Secondary sexual characteristics and menses in young girls seen in office practice: a study from the Pediatric Research in Office Settings network. *Pediatrics* 1999; 99:505-12. **Important**
<http://www.ncbi.nlm.nih.gov/pubmed/9093289?dopt=AbstractPlus>

Wu T, Mendola P, Buck GM. Ethnic differences in the presence of secondary sex characteristics and menarche among US girls: the Third National Health and Nutrition Examination Survey, 1988-1994. *Pediatrics* 2002; 110:752-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12359790?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ibanez L, Dimartino-Nardi J, Potau N, Saenger P. Premature adrenarche--normal variant or forerunner of adult disease? *Endocr Rev* 2000; 21:671-96. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/11133068?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Parent AS, Teilmann G, Juul A, Skakkebaek NE, Toppari , Bourguignon JP. The timing of normal puberty and the age limits of sexual precocity: variations around the world, secular trends, and changes after migration. *Endocr Rev* 2003; 24:668-93. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14570750?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mansfield MJ, Beardsworth DE, Loughlin JS, Crawford JD, Bode HH, Rivier J, Vale W, Kushner DC, Crigler JF Jr, Crowley WF Jr. Long-term treatment of central precocious puberty with a long-acting analogue of luteinizing hormone-releasing hormone. Effects on somatic growth and skeletal maturation. *N Engl J Med* 1983; 309:1286-90.

Classichhttp://www.ncbi.nlm.nih.gov/pubmed/6415479?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Wierman ME, Beardsworth DE, Mansfield MJ, Badger M, Crawford JD, Crigler JF Jr, Bode HH, Loughlin JS, Kushner DC, Scully RE, et al. Puberty without gonadotropins. A unique mechanism of sexual development. *N Engl J Med* 1985; 312:65-72.

Classichhttp://www.ncbi.nlm.nih.gov/pubmed/3917301?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Lee PA, Van Dop C, Migeon CJ. McCune-Albright syndrome. Long-term follow-up. *JAMA* 1986; 256:2980-4.

Classichhttp://www.ncbi.nlm.nih.gov/pubmed/3773215?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pescovitz OHO, Comite F, Hench K, Barnes K, McNemar A, Foster C, Kenigsberg D, Loriaux DL, Cutler GB Jr., The NIH experience with precocious puberty: diagnostic subgroups and response to short-term luteinizing hormone releasing analogue therapy. *J Pediatric* 1986; 108:47-54. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/3080571?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Feuillann P, Merke D, Leschek EW, Cutler GB Jr. Use of aromatase inhibitors in precocious puberty. *Endocr Relat Cancer* 1999; 6:303-6.

Important
http://www.ncbi.nlm.nih.gov/pubmed/10731123?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Delayed

Crowne EC, Shalet SM, Wallace WH, Eminson DM, Price DA. Final heights in girls with untreated constitutional delay in growth and puberty. *Eur J Pediatr* 1991; 150:708-712. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/1915481?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Herman-Giddens ME, Slora EJ, Wasserman RC, et al. Secondary sexual characteristics and menses in young girls seen in office practice: a study from the PROS network. *Pediatrics* 1997; 99:505-512. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/9093289?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Giovannelli G, Volta C, Ghizzoni L. Delayed puberty. *J Endocrinol Invest* 1989; 12:75-80. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/2681350?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Goldsmith O, Solomon DH, Horton R. Hypogonadism and mineralocorticoid excess. The 17-hydroxylase deficiency syndrome. *N Engl J Med* 1967; 277:673-7. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6039879?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Prader A. Delayed adolescence. *Clin Endocrinol Metab* 1975; 4(1):143-55. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/166776?ordinalpos=11&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Reindollar RH, Byrd JR, McDonough PG. Delayed sexual development: a study of 252 patients. *Am J Obstet Gynecol* 1981; 140:371-380. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7246652?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Nathan BM, Palmert MR. Regulation and disorders of pubertal timing. *Endocrinol Metab Clin North Am* 2005; 34:617-41. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16085163?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rosenfield RL. Clinical review: Diagnosis and management of delayed puberty. *J Clin Endocrinol Metab* 1990; 70:559-62. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2407749?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kulin HE. Delayed puberty. *J Clin Endocrinol Metab* 1996; 81:3460-4.

Important

http://www.ncbi.nlm.nih.gov/pubmed/8855785?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Palmert MR, Boepple PA. Variation in the timing of puberty: clinical spectrum and genetic investigation. *J Clin Endocrinol Metab* 2001;

86:2364-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11397824?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Sedlmeyer IL, Palmert MR. Delayed puberty: analysis of a large case series from an academic center. *J Clin Endocrinol Metab* 2002; 87:1613-20. **Important**

Important

http://www.ncbi.nlm.nih.gov/pubmed/11932291?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XX. RECURRENT PREGNANCY LOSS

Rai R, Regan L. Recurrent miscarriage. *Lancet* 2006; 368:601-11.

Review

http://www.ncbi.nlm.nih.gov/pubmed/16905025?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Homburg R. Pregnancy complications in PCOS. *Best Pract Res Clin Endocrinol Metab* 2006; 20(2):281-92. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16772158?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Poland BJ, Miller JR, Jones DC, Trimble BK. Reproductive counseling in patients who have had a spontaneous abortion. *Am J Obstet Gynecol* 1977; 127:685-91. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/848521?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Regan L, Braude PR, Trembath PL. Influence of past reproductive performance on risk of spontaneous abortion. *BMJ* 1989; 299:541-5.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/2507063?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Porter TF, LaCoursiere Y, Scott JR. Immunotherapy for recurrent miscarriage. *Cochrane Database Syst Rev* 2006; (2): CD000112.

Important

http://www.ncbi.nlm.nih.gov/pubmed/16625529?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Empson M, Lassere M, Craig J, Scott J. Prevention of recurrent miscarriage for women with antiphospholipid antibody or lupus anticoagulant. *Cochrane Database Syst Rev* 2005; (2):CD002859.

Important

http://www.ncbi.nlm.nih.gov/pubmed/15846641?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Proctor JA, Haney AF. Recurrent first trimester pregnancy loss is associated with uterine septum but not with bicornuate uterus. *Fertil Steril* 2003; 80(5):1212-5. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/14607577?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Franssen MTM, Korevaar JC, Leschot NJ, Bossuyt PMM, Knegt AC, Gerssen-Schorl KBJ, et al. Selective chromosome analysis in couples with two or more miscarriages: case-control study. *BMJ* 2005; 331:137-41.

Important

http://www.ncbi.nlm.nih.gov/pubmed/15985440?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jivraj S, Rai R, Underwood J, Regan L. Genetic thrombophilic mutations among couples with recurrent miscarriage. *Hum Reprod* 2006; 21(5):1161-5. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16431900?ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Stephenson MD. Frequency of factors associated with habitual abortion in 197 couples. *Fertil Steril* 1996; 66:24-29. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8752606?ordinalpos=21&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XXI. REPRODUCTIVE IMMUNOLOGY

a. Seminal Antigens and Antibodies

Franklin RR, Dukes CD. Antispermatozoal antibody and unexplained infertility. *Am J Obstet Gynecol* 1964; 89:6-9. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/14155015?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bronson R, Cooper G, Rosenfeld D. Sperm antibodies: their role in infertility. *Fertil Steril* 1984; 42:171-83. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/6378672?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Haas GG Jr. The inhibitory effect of sperm-associated immunoglobulins on cervical mucus penetration. *Fertil Steril* 1986; 46:334-7. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/3732542?ordinalpos=40&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mazumdar S, Levin S. Antisperm antibodies: etiology, pathogenesis, diagnosis, and treatment. *Fertil Steril* 1998; 70(5):799-809. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9806556?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chiu WWC, Chamley LW. Clinical associations and mechanisms of action of antisperm antibodies. *Fertil Steril* 2004; 83(3):529-35. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/15374685?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chiu WWC, Chamley LW. Human seminal plasma antibody-binding proteins. *Am J Reprod Immunol* 2003; 50:196-201. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/14629023?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bohring C, Krause W. Immune infertility: towards a better understanding of sperm (auto)-immunity. The value of proteomic analysis. *Hum Reprod* 2003; 18(5):915-24. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12721162?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Naz RK. Modalities for treatment of antisperm antibody mediated infertility: novel perspectives. *Am J Reprod Immunol* 2004; 51:390-97. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15212677?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XXII. THYROID FUNCTION AND DISEASE STATES

a. Hypothyroidism

Razvi S, McMillan CV, Weaver JU. Instruments used in measuring symptoms, health status and quality of life in hypothyroidism: a systematic qualitative review. Clin Endocrinol 2005; 63 (6): 617-624. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16343094?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gold MD, Pottash ALC, Extein I. Hypothyroidism and Depression – evidence from complete thyroid function evaluation. JAMA 1981; 245 (19): 1919-1922 1981. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7230383?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Bahemuka M, Hodkinson HM. Screening for Hypothyroidism in elderly inpatients. Br Med J 1975; 2 (5971): 601-603. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1131632?ordinalpos=40&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Staub JJ, Althaus BU, Engler H, et al. Spectrum of subclinical and overt hypothyroidism – effect on thyrotropin, prolactin, and thyroid reserve, and metabolic impact on peripheral target. Am J Med 1992; 92 (6): 631-642. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1605145?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Schneider DL, Barrettconnor EL, Morton DJ. Thyroid hormone use and bone mineral density in elderly women – effect of estrogen. JAMA 1994; 271 (16): 1245-1249. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7848399?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Franklyn JA, Betteridge J, Daykin J, et al. Long-term thyroxine treatment and bone mineral density. Lancet 1992; 340 (8810): 9-13. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1351654?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Klein I, Ojamaa K. Mechanisms of disease: Thyroid hormone and the cardiovascular system. N Engl J Med 2001; 344 (7): 501-509. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/11172193?ordinalpos=24&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Uzzan B, Campos J, Cucherat M, et al. Effects on bone mass of long term treatment with thyroid hormones: A meta-analysis. J Clin Endocrinol Metab 1996 81 (12): 4278-4289. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8954028?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Hyperthyroidism

Boelaert K, Franklyn JA. Thyroid hormone in health and disease. *J Endocrinol* 2005; 187 (1): 1-15. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16214936?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Abraham P, Avenell A, Park CM, et al. A systematic review of drug therapy for Graves' hyperthyroidism. *Eur J Endocrinol* 2005; 153 (4): 489-498. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16189168?ordinalpos=19&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Franklyn JA. Drug Therapy: The management of hyperthyroidism. *N Engl J Med* 1994; 330 (24): 1731-1738. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7910662?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Woeber KA. Current Concepts – Thyrotoxicosis and the Heart. *N Engl J Med* 1992; 327 (2): 94-98. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1603141?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Singer PA, Cooper DS, Levy EG, et al. Treatment guidelines for patients with hyperthyroidism and hypothyroidism. *JAMA* 1995; 273 (10): 808-812. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7532241?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Parle JV, Maisonneuve P, Sheppard MC, et al. Prediction of all-cause and cardiovascular mortality in elderly people from one low serum thyrotropin result: a 10-year cohort study. *Lancet* 2001; 358 (9285): 861-865. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/11567699?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Endo K, Kasagi K, Konishi J, et al. Detection and properties of TSH-binding inhibitor immunoglobulins in patients with Graves disease and Hashimoto thyroiditis. *J Clin Endocrinol Metab* 1978; 46 (5): 734-739. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/45421?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Weetman AP. Medical progress: Graves' disease. N Engl J Med 2000; 343 (17): 1236-1248. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11071676?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vanderpump MPJ, Tunbridge WMG, French JM, et al. The incidence of thyroid disorders in the community – A 20 year follow-up of the Wickham Survey. Clin Endocrinol 1995; 43 (1): 55-68. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/7641412?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. Subclinical thyroid disease

Surks MI, Ortiz E, Daniels GH, et al. Subclinical thyroid disease - Scientific review and guidelines for diagnosis and management. JAMA 2004; 291(2):228-238. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14722150?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cooper DS, Halpern R, Wood LC, et al. Thyroxine therapy in subclinical hypothyroidism – a double blind, placebo controlled trial. Ann Intern Med 1984; 101(1):18-24. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/6428290?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Ross DS, Neer RM, Ridgway EC, et al. Subclinical Hyperthyroidism and reduced bone density as a possible result of prolonged suppression of the pituitary-thyroid axis with L-thyroxine. Am J Med 1987; 82(6):1167-1170. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3605133?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Helfand M, Redfern CC. Screening for thyroid disease: An update. Ann Intern Med 1998; 129(2):144-158. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/9669977?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hak AE, Pols HAP, Visser TJ, et al. Subclinical hypothyroidism is an independent risk factor for atherosclerosis and myocardial infarction in elderly women: The Rotterdam study. Ann Intern Med 2000; 132(4):270-8. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/10681281?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cooper DS. Subclinical hypothyroidism. *New Engl J Med* 2001; 345 (4): 260-265. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/11474665?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rodondi N, Aujesky D, Vittinghoff E, et al. Subclinical hypothyroidism and the risk of coronary heart disease: A meta-analysis. *Am J Med* 2006; 119 (7):541-551. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/16828622?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Goodwin TM, Montoro M, Mestman JH, et al. The role of chorionic gonadotropin in transient hyperthyroidism of hyperemesis gravidarum. *J Clin Endocrinol Met* 1992; 75(5):1333-1337. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/1430095?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Haddow JE, Palomaki GE, Allan WC, et al. Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Engl J Med* 1999; 341(8):549-555. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/10451459?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Amino N, Mori H, Iwatani Y, et al. High prevalence of postpartum thyrotoxicosis and hypothyroidism. *N Engl J Med* 1982;306(14): 849-852. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/7062963?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Burrow GN, Fisher DA, Larsen PR. Mechanisms of disease – maternal and fetal thyroid function. *N Engl J Med* 1994; 331(16):1072-1078. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/8090169?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mandel SJ, Larsen PR, Seely EW, et al. Increased need for thyroxine during pregnancy in women with primary hypothyroidism. *N Engl J Med* 1990; 323(2):91-96. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2359428?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XXIII. STATISTICS

a. Research and Thesis

Efron B. Computers and the theory of statistics: thinking the unthinkable. *SIAM Review* 1979; 21:460-80. **Important**

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 1, Basic concepts. *Ann Emerg Med* 1990; 19:86-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2297161?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 2, Descriptive statistics. *Ann Emerg Med* 1990; 19:309-15. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2310070?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greenhalgh T. How to read a paper. Statistics for the non-statistician. I: Different types of data need different statistical tests. *BMJ* 1997; 315:364-6. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9270463?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greenhalgh T. How to read a paper. Statistics for the non-statistician. II: "Significant" relations and their pitfalls. *BMJ* 1997;315:422-5. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9277611?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greenhalgh T. How to read a paper. Papers that report drug trials. *BMJ* 1997; 315:480-3. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9284672?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greenhalgh T. How to read a paper. Papers that report diagnostic or screening tests. *BMJ* 1997; 315:540-3. Erratum in: *BMJ* 1997; 315(7113):942. *BMJ* 1998; 316(7126):225. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9329312?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Greenhalgh T. Papers that summarize other papers (systematic reviews and meta-analyses). *BMJ* 1997; 315:672-5. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/9310574?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Laird NM, Ware JH. Random-effects models for longitudinal data. *Biometrics* 1982; 38:963-74. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/7168798?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 3, Sensitivity, specificity, predictive value and hypothesis testing. *Ann Emerg Med* 1990; 19:591-7. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2331107?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 4, Statistical inference techniques in hypothesis testing. *Ann Emerg Med* 1990; 19:820-5. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2389867?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 5, Statistical Inference Techniques for hypothesis testing with nonparametric data. *Ann Emerg Med* 1990; 19:1054-9. Erratum in: *Ann Emerg Med* 1991; 20:573. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2203291?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gaddis ML, Gaddis GM. Introduction to biostatistics: Part 6, Correlation and regression. *Ann Emerg Med* 1990; 19:1462-8. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/2240762?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Myers ER, Silva SG, Hafley G, Kunselman AR, Nestler JE, Legro RS. Estimating live birth rates after ovulation induction in polycystic ovary syndrome: Sample size calculations for the pregnancy in polycystic ovary syndrome trial. *Contemp Clin Trials* 2005; 26:271-80. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15911461?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rubin DB. Inference and missing data. *Biometrics* 1976; 63:581-592. **Classic**

Rubin DB. Bayesian inference for causal effects: the role of randomization. *The Annals of Statistics* 1978; 6:34-58. **Classic**

XXIV. SURGICAL TECHNIQUES

Philosophe, R. Avoiding complications of laparoscopic surgery. *Fertil Steril* 2003; 80(Suppl) 4:30-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/14568286?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Shirk, GJ, Johns, A, Redwine, DB. Complications of laparoscopic surgery: How to avoid them and how to repair them. *J Min Inv Gynecol* 2006; 13:352-9. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16825083?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Marcoux, S, Maheux, R, Berube, S, and the Canadian Collaborative Group on Endometriosis. Laparoscopic surgery in infertile women with minimal or mild endometriosis. *N Engl J Med* 1997; 337(4):217-22. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9227926?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Fayez JA. Comparison between abdominal and hysteroscopic metroplasty. *Obstet Gynecol* 1986; 68:399-403. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/2942813?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chervena, FA and Neuwirth, RS. Hysteroscopic resection of the uterine septum. *Am J Obstet Gynecol* 1981; 39:560-3. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/7282817?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Vercellini P, Chapron, C, Di Giorgi, O, Consonni, C, Frontino, G, Crosignani, PG. Coagulation or excision of ovarian endometriomas. *Am J Obstet Gynecol* 2003; 188(3):606-10. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/12634628?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hickok, LR. Hysteroscopic treatment of the uterine septum: a clinician experience *A J Obstet Gynecol* 2000; 182(6):1414-20. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10871457?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Duffy, S, Marsh, F, Rogerson, L, Hudson, H, Cooper, K, Jack, S, Hunter, D, Philips, G. Female sterilisation: a cohort controlled comparative study of ESSURE versus laparoscopic tubal ligation. *Br J Obstet Gynecol* 2005; 112:1522-28. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16225573?ordinalpos=20&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gomel V. Tubal reanastomosis by microsurgery. Fertil Steril 1977; 28:59-65. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/832717?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rock JA, Berquist CA, Kimbal AW Jr., et al. Comparison of the operating microscope and loupe for microsurgical tubal anastomosis: a randomized clinical trial. Fertil Steril 1984; 41:229. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/6365599?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Rock JA, Guzick DS, Katz E, et al. Tubal anastomosis: pregnancy success following reversal of Falope ring or monopolar cautery sterilization. Fertil Steril 1987; 48:13. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3595909?ordinalpos=10&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Velde ER, Boer ME, Looman CWN, et al. Factors influencing success or failure after reversal of sterilization: A multivariate approach. Fertil Steril 1990; 54:270. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/2379626?ordinalpos=127&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

XXV. TECHNIQUES OF ASSISTED REPRODUCTION

a. Stimulation Protocols / Ovulation Induction

Stephoe PC, Edwards RG, Walters DE. Observations on 767 clinical pregnancies and 500 births after human in-vitro fertilization. Hum Reprod 1986; 1:89-94. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/3104395?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Al-Inany HG, Abou-Setta AM, Aboulghar M. Gonadotrophin-releasing hormone antagonists for assisted conception. Cochrane Database Syst Rev 2001; (4): CD001750. Update in: Cochrane Database Syst Rev 2006; (3): CD001750. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16855976?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jones GS, Muasher SJ, Liu HC. Gonadotropin stimulation protocols in the Norfolk IVF program--1988. *J Steroid Biochem* 1989; 33:823-5.

Important

http://www.ncbi.nlm.nih.gov/pubmed/2513456?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Jones HW Jr, Jones GS, Andrews MC, Acosta A, Bundren C, Garcia J, Sandow B, Veeck L, Wilkes C, Witmyer J, Wortham JE, Wright G. The program for in vitro fertilization at Norfolk. *Fertil Steril* 1982; 38:14-21.

Classic

http://www.ncbi.nlm.nih.gov/pubmed/7095165?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Williams SC, Gibbons WE, Muasher SJ, Oehninger S. Minimal ovarian hyperstimulation for in vitro fertilization using sequential clomiphene citrate and gonadotropin with or without the addition of a gonadotropin-releasing hormone antagonist. *Fertil Steril* 2002; 78:1068-72. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12413995?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Muasher SJ, Abdallah RT, Hubayter ZR. Optimal stimulation protocols for in vitro fertilization. *Fertil Steril* 2006; 86:267-73. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16753157?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Shanbhag S, Aucott L, Bhattacharya S, Hamilton M, McTavish A. Interventions for 'poor responders' to controlled ovarian hyperstimulation (COH) in in-vitro fertilisation (IVF). *Cochrane Database Syst Rev* 2007; (1): CD004379. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/17253503?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

b. Outcomes

Puissant F, Van Rysselberge M, Barlow P, Deweze J, Leroy F. Embryo scoring as a prognostic tool in IVF treatment. *Hum Reprod* 1987; 2(8):705-8.

Important**http://www.ncbi.nlm.nih.gov/pubmed/3437050?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum**

Scott RT, Toner JP, Muasher SJ, Oehninger S, Robinson S, Rosenwaks Z. Follicle-stimulating hormone levels on cycle day 3 are predictive of in vitro fertilization outcome. *Fertil Steril* 1989; 51(4):651-4.

Important**<http://www.ncbi.nlm.nih.gov/pubmed/2494082?ordinalpos=>**

8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Toner JP, Philput CB, Jones GS, Muasher SJ. Basal follicle-stimulating hormone level is a better predictor of in vitro fertilization performance than age. *Fertil Steril* 1991; 55(4): 784-91. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/1901282?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Soliman S, Daya S, Collins J, Jarrell J. A randomized trial of in vitro fertilization versus conventional treatment for infertility. *Fertil Steril* 1993; 59(6):1239-44. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/8495772?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Karande VC, Korn A, Morris R, Rao R, Balin M, Rinehart J, Dohn K, Gleicher N. Prospective randomized trial comparing the outcome and cost of in vitro fertilization with that of a traditional treatment algorithm as first-line therapy for couples with infertility. *Fertil Steril* 1999; 71(3):468-75.

Important**http://www.ncbi.nlm.nih.gov/pubmed/10065784?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum**

Bancsi LF, Broekmans FJ, Eijkemans MJ, de Jong FH, Habbema JD, te Velde ER. Predictors of poor ovarian response in in vitro fertilization: a prospective study comparing basal markers of ovarian reserve. *Fertil Steril* 2002; 77(2):328-36.

Important**http://www.ncbi.nlm.nih.gov/pubmed/11821092?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum**

Rimm AA, Katayama AC, Diaz M, Katayama KP. A meta-analysis of controlled studies comparing major malformation rates in IVF and ICSI infants with naturally conceived children. *J Assist Reprod Genet* 2004; 21(12):437-43. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15704519?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Spandorfer SD, Kump L, Goldschlag D, Brodtkin T, Davis OK, Rosenwaks Z. Obesity and in vitro fertilization: negative influences on outcome. *J Reprod Med* 2004; 49(12):973-7. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/15656214?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

c. PGD (Applications and Ethics)

Braude P. Preimplantation diagnosis for genetic susceptibility. *N Engl J Med* 2006; 355(6):541-3. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/16899771?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Landyside AH, Lesko JG, Tarin JJ, Winston RM, Hughes MR. Birth of a normal girl after in vitro fertilization and preimplantation diagnostic testing for cystic fibrosis. *N Engl J Med* 1992; 327(13): 905-9. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1381054?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Munne S, Chen S, Fischer J, Colls P, Zheng X, Stevens J, et al. Preimplantation genetic diagnosis reduces pregnancy loss in women aged 35 years and older with a history of recurrent miscarriages. *Fertil Steril* 2005; 84(2):331-5. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16084873?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Munne S, Velilla E, Colls P, Garcia Bermudez M, Vermuri MC, Steuerwald N, et al. Self-correction of chromosomally abnormal embryos in culture and implications for stem cell production. *Fertil Steril* 2005; 84(5):1328-34. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16275225?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Munne S, Fischer J, Warner A, Chen S, Zouves C, Cohen J, Referring Centers PGD Group. Preimplantation genetic diagnosis significantly reduces pregnancy loss in infertile couples: a multicenter study. *Fertil Steril* 2006; 85(2):326-32. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/16595207?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Platteau P, Staessen C, Michiels A, Van Steirtegham A, Liebaers I, Devroey P. Preimplantation genetic diagnosis for aneuploidy screening in women older than 37 years. *Fertil Steril* 2005; 84(2):319-24. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16084871?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Twisk M, Mastenbroek S, van Wely M, Heineman MJ, Van der Veen F, Repping S. Preimplantation genetic screening for abnormal number of chromosomes (aneuploidies) in in vitro fertilization or intracytoplasmic sperm injection. *Cochrane Database Syst Rev* 2006; 25(1):CD005291. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16437524?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Coulam CB, Jeyendran RS, Fiddler M, Pergament E. Discordance among blastomeres renders preimplantation genetic diagnosis for aneuploidy ineffective. *J Assist Reprod Genet* 2007; 24(1):37-41. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/17216564?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Shahine LK, Cedars MT. Preimplantation genetic diagnosis does not increase pregnancy rates in patients at risk for aneuploidy. *Fertil Steril* 2006; 86(1):51-6. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16412730?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Dresser R. Preimplantation genetic diagnosis as medical innovation: reflections from The Present's Council on Bioethics. *Fertil Steril* 2006; 85(6):1633-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16677643?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Soini S, Ibarreta D, Anastasiadou V, Ayme S, Braga S, Cornel M, et. al. The interface between assisted reproductive technologies and genetics: technical, social and legal issues. *Eur J Hum Genet* 2006; 14(5):588-645. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16636693?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Hudson KL. Preimplantation genetic diagnosis: public policy and public attitudes. *Fertil Steril* 2006; 85(6):1638-45. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16759921?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Thomas C. Preimplantation genetic diagnosis: development and regulation. *Med Law* 2006; 25(2):365-78. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16929812?ordinalpos=65&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

d. Fertility Preservation

Oktay K, Buyuk E, Lihertella N, Akar M, Rosenwaks Z. Fertility preservation in breast cancer patients: a prospective controlled comparison of ovarian stimulation with tamoxifen and letrozole for embryo cryopreservation. *J Clin Onc* 2005; 23(19): 4347-53. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/15824416?ordinalpos=9&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Oktay K, Buyuk E, Veeck L, Zaninovic N, Xu K, Takeuchi T, Opsahl M, Rosenwaks Z. Embryo development after heterotopic transplantation of cryopreserved ovarian tissue. *Lancet* 2004; 363: 837-40. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/15031026?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Oktay K, Economos K, Kan M, Rucinski J, Veeck L, Rosenwaks Z. Endocrine function and oocyte retrieval after autologous transplantation of ovarian cortical strips to the forearm. *JAMA* 2001; 286: 1490-3. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/11572742?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Oktay K, Karlikaya G. Ovarian function after transplantation of frozen, banked autologous ovarian tissue. *N Engl J Med* 2000; 342: 1919. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/10877641?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Blumenfeld Z, Avivi I, Linn S, Epelbaum R, Ben-Shahar M, Haim N. Prevention of irreversible chemotherapy-induced ovarian damage in young women with lymphoma by a gonadotropin-releasing hormone agonist in parallel to chemotherapy. *Hum Reprod* 1996; 11:1620-6. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8921104?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Baka SG, Toth TL, Weeks LL, Jones HW, Muasher SJ, Lanzendorf SE. Evaluation of the spindle apparatus of in-vitro matured human oocytes following cryopreservation. *Hum Reprod* 1995;10:1816-20. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/8582988?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Waxman JH, Ahmed R, Smith D, Wrigley PF, Gregory W, Shalet S, Crowther D, Rees LH, Besser GM, Malpas JS, et al. Failure to preserve fertility in patients with Hodgkins disease. *Cancer Chemother Pharmacol* 1987;19(2):159-62. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/3105906?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Kim S. Fertility preservation in female cancer patients: current developments and future directions. *Fertil Steril* 2006; 85 (1): 1-11. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16412718?ordinalpos=212&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum

Lobo, R. Potential options for preservation of fertility in women. N Engl J Med 2005; 353: 64-73. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16000356?ordinalpos=13&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Practice Committee of the American Society of Reproductive Medicine. Ovarian tissue and oocyte cryopreservation. Fertil Steril 2004; 82:993-99. **Review**

Porcu E, Fabbri R, Seracchioli R, Ciotti PM, Magrini O, Flamigni C. Birth of a healthy female after intracytoplasmic sperm injection of cryopreserved human oocytes. Fertil Steril 1997; 68 (4): 724-6. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/9341619?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Chen C. Pregnancy after human oocyte cryopreservation. Lancet 1986; 1:884-6. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2870356?ordinalpos=149&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

e. Assessment and Testing

Burkman LJ, Coddington CC, Franken D, et al. The hemizona assay (HZA): development of a diagnostic test for the binding of human spermatozoa to the human hemizona pellucida to predict fertilization potential. Fertil Steril 1988; 688-697. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/3350165?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mansour R, Aboulghar M, Serour G. Dummy embryo transfer: a technique. Fertil Steril 1990; 54:678. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/2209889?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Toner JP, Philput CB, Jones GS, et al. Basal follicle-stimulating hormone level. Fertil Steril 1991; 55:784. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/1901282?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Racowsky C. Combelles CM. Nureddin A. Pan Y. Finn A. Miles L. Gale S. O'Leary T. Jackson KV. Day 3 and day 5 morphological predictors of embryo viability. Reprod Biomed Online 2003; 6(3):323-31. **Important**

http://www.ncbi.nlm.nih.gov/pubmed/12735868?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Achache H, Revel A. Endometrial receptivity markers, the journey to successful embryo implantation. *Hum Reprod Update* 2006; 12(6):731-46. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16982667?ordinalpos=8&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Keefe DL, Parry JP. New approaches to assisted reproductive technologies. *Semin Reprod Med* 2005; 23(4):301-8. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16317618?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Combelles CM, Racowsky C. Assessment and optimization of oocyte quality during assisted reproductive technology treatment. *Semin Reprod Med* 2005; 23(3):277-84. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16059834?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Mansour R, Aboulghar M, Serour G. Dummy embryo transfer: a technique that minimizes the problems of embryo transfer and improves the pregnancy rate in human in vitro fertilization. *Fert Steril* 1990; 54(4):678-81. **Classic**

http://www.ncbi.nlm.nih.gov/pubmed/2209889?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

f. Embryo Culture

Quinn P. The development and impact of culture media for assisted reproductive technologies. *Fert Steril* 2004; 81(1): 27-29. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14711540?ordinalpos=29&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Pool TB. An update on embryo culture for human assisted reproductive technology: media, performance, and safety. *Semin Reprod Med* 2005; 23(4):309-18. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/16317619?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Summers MC, Biggers JD. Chemically defined media and the culture of mammalian preimplantation embryos: historical perspective and current issues. *Hum Reprod Update* 2003; 9(6):557-82. **Review**

http://www.ncbi.nlm.nih.gov/pubmed/14714592?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

**EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RV
DocSum**

Jurema MW, Nogueira D. In vitro maturation of human oocytes for assisted reproduction. *Fert Steril* 2006; 86(5):1277-91. **Review**
http://www.ncbi.nlm.nih.gov/pubmed/16996508?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Behr B, Pool TB, Milki AA, Moore D, Gebhardt J, Dasig D. Preliminary clinical experience with human blastocyst development in vitro without co-culture. *Human Reproduction* 1999; 14(2):454-7. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/10099993?ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Gardner DK, Schoolcraft WB, Wagley L, Schlenker T, Stevens J, Hesla J. A prospective randomized trial of blastocyst culture and transfer in in-vitro fertilization. *Hum Reprod* 1998; 13(12):3434-40. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/9886530?ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Cohen J, Alikani M, Trowbridge, Rosenwaks Z. Implantation enhancement by selective assisted hatching using zona drilling of human embryos with poor prognosis. *Hum Reprod* 1992; 7(5):685-91. **Classic**
http://www.ncbi.nlm.nih.gov/pubmed/1639990?ordinalpos=143&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum

Blake D, Proctor M, Johnson N, Olive D. Cleavage stage versus blastocyst stage embryo transfer in assisted conception. *Cochrane Database of Systematic Reviews* 2005; (4): CD002118. **Important**
http://www.ncbi.nlm.nih.gov/pubmed/16235296?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum